

**NB**

*Interchange Table*



NIPPON BEARING CO., LTD.

**NB**

Corporation of America

*January 2009*

# SLIDE BUSH ( INCH DIMENSION )

## STANDARD TYPE

NOM. DIA.	NB	THOMSON	STAR	NOOK	INA	THK	IKO	NSK
1/4	SW 4	A-4812	0750-004-15			LMB 4A	LMB 4812	
	SW 4G		0750-004-00	LBB-250	KBZ-04	LMB 4	LBB 4	LIB 4NY
	SW 4UU		0750-204-15					
	SW 4GUU		0750-204-00	LBB-250PP	KBZ-04 PP		LBB 4UU	
3/8	SW 6	A-61014	0750-006-15			LMB 6A	LMB 61014	
	SW 6G		0750-006-00	LBB-375	KBZ-06	LMB 6	LBB 6	LIB 6NY
	SW 6UU		0750-206-15					
	SW 6GUU		0750-206-00	LBB-375PP	KBZ-06 PP		LBB 6UU	
1/2	SW 8	A-81420	0750-008-15			LMB 8A	LMB 81420	
	SW 8G		0750-008-00	LBB-500	KBZ-08	LMB 8	LBB 8	LIB 8NY
	SW 8UU	A-81420-DD	0750-208-15					
	SW 8GUU		0750-208-00	LBB-500PP	KBZ-08 PP		LBB 8UU	
5/8	SW 10	A-101824	0750-010-15				LMB 101824	
	SW 10G		0750-010-00	LBB-625	KBZ-10	LMB 10	LBB 10	
	SW 10UU		0750-210-15					
	SW 10GUU		0750-210-00	LBB-625PP	KBZ-10 PP		LBB 10UU	
3/4	SW 12	A-122026	0750-012-15			LMB 12A	LMB 122026	
	SW 12G		0750-012-00	LBB-750	KBZ-12	LMB 12	LBB 12	LIB 12NY
	SW 12UU	A-122026-DD	0750-212-15					
	SW 12GUU		0750-212-00	LBB-750PP	KBZ-12 PP		LBB 12UU	
1	SW 16	A-162536	0750-016-15			LMB 16A	LMB 162536	
	SW 16G		0750-016-00	LBB-1000	KBZ-16	LMB 16	LBB 16	LIB 16NY
	SW 16UU	A-162536-DD	0750-216-15					
	SW 16GUU		0750-216-00	LBB-1000PP	KBZ-16 PP		LBB 16UU	
1-1/4	SW 20	A-203242	0750-020-15			LMB 20A	LMB 203242	
	SW 20G		0750-020-00	LBB-1250	KBZ-20	LMB 20	LBB 20	
	SW 20UU		0750-220-15					
	SW 20GUU		0750-220-00	LBB-1250PP	KBZ-20 PP		LBB 20UU	
1-1/2	SW 24	A-243848	0750-024-15			LMB 24A	LMB 243848	
	SW 24G		0750-024-00	LBB-1500	KBZ-24		LBB 24	
	SW 24UU		0750-224-15					
	SW 24GUU		0750-224-00	LBB-1500PP	KBZ-24 PP		LBB 24UU	
2	SW 32	A-324864	0750-032-15			LMB 32A	LMB 324864	
	SW 32G		0750-032-00	LBB-2000	KBZ-32		LBB 32	
	SW 32UU		0750-232-15					
	SW 32GUU		0750-232-00	LBB-2000PP	KBZ-32 PP		LBB 32UU	
2-1/2	SW 40	A-406080	0750-040-15			LMB 40A	LMB 406080	
3	SW 48	A-487296	0750-048-15			LMB 48A	LMB 487296	
4	SW 64	A-6496128	0750-064-15			LMB 64A	LMB 6496128	

Double-Wide and Flange Type Slide Bushings are also available. For details, please call **NB**.

### PRECISION GRADE

NOM. DIA.	NB	THOMSON	STAR
1/4	SW 4-P	XA-4812	0751-004-15
3/8	SW 6-P	XA-61014	0751-006-15
1/2	SW 8-P	XA-81420	0751-008-15
5/8	SW 10-P	XA-101824	0751-010-15
3/4	SW 12-P	XA-122026	0751-012-15
1	SW 16-P	XA-162536	0751-016-15
1-1/4	SW 20-P	XA-203242	0751-020-15
1-1/2	SW 24-P	XA-243848	0751-024-15
2	SW 32-P	XA-324864	0751-032-15
2-1/2	SW 40-P	XA-406080	0751-040-15
3	SW 48-P	XA-487296	0751-048-15
4	SW 64-P	XA-6496128	0751-064-15

### STAINLESS STEEL

NB	THOMSON	STAR
SWS 2	INST-258-SS	0750-002-53
SWS 3	INST-369-SS	0750-003-53
SWS 4	A-4812-SS	0750-004-53
SWS 6	A-61014-SS	0750-006-53
SWS 8	A-81420-SS	0750-008-53
SWS 10	A-101824-SS	0750-010-53
SWS 12	A-122026-SS	0750-012-53
SWS 16	A-162536-SS	0750-016-53
SWS 20		
SWS 24		
SWS 32		

### STAINLESS STEEL PRECISION GRADE

NOM. DIA.	NB	THOMSON	STAR
1/4	SWS 4-P	XA-4812-SS	0751-004-53
3/8	SWS 6-P	XA-61014-SS	0751-006-53
1/2	SWS 8-P	XA-81420-SS	0751-008-53
5/8	SWS 10-P	XA-101824-SS	0751-010-53
3/4	SWS 12-P	XA-122026-SS	0751-012-53
1	SWS 16-P	XA-162536-SS	0751-016-53
1-1/4	SWS 20-P		0751-020-53
1-1/2	SWS 24-P		0751-024-53
2	SWS 32-P		0751-032-53

The **PRECISION**, **STAINLESS STEEL**, and **PRECISION STAINLESS STEEL** series are also available with Resin Ball Retainer and / or Pre-Sealed Wiper types. For further details, please call **NB**.

# SLIDE BUSH ( INCH DIMENSION )

## ADJUSTABLE TYPE

NOM. DIA.	NB	THOMSON	STAR	NOOK	INA	THK	IKO	NSK
1/4	SW 4G-AJ		0752-004-00	ADJ-250			LMB 4812N AJ	LIB 4NTY
	SW 4GUU-AJ		0752-204-00	ADJ-250PP				
3/8	SW 6G-AJ		0752-006-00	ADJ-375			LMB 61014N AJ	LIB 6NTY
	SW 6GUU-AJ		0752-206-00	ADJ-375PP				
1/2	SW 8-AJ	ADJ-81420	0752-008-15			LMB 8A-AJ	LMB 81420 AJ	
	SW 8G-AJ		0752-008-00	ADJ-500		LMB 8-AJ	LBB 8 AJ	LIB 8NTY
	SW 8UU-AJ		0752-208-15					
	SW 8GUU-AJ		0752-208-00	ADJ-500PP			LBB 8UU AJ	
5/8	SW 10-AJ	ADJ-101824	0752-010-15				LMB 101824 AJ	
	SW 10G-AJ		0752-010-00	ADJ-625		LMB 10-AJ	LBB 10 AJ	
	SW 10UU-AJ		0752-210-15					
	SW 10GUU-AJ		0752-210-00	ADJ-625PP			LBB 10UU AJ	
3/4	SW 12-AJ	ADJ-122026	0752-012-15			LMB 12A-AJ	LMB 122026 AJ	
	SW 12G-AJ		0752-012-00	ADJ-750		LMB 12-AJ	LBB 12 AJ	LIB 12NTY
	SW 12UU-AJ		0752-212-15					
	SW 12GUU-AJ		0752-212-00	ADJ-750PP			LBB 12UU AJ	
1	SW 16-AJ	ADJ-162536	0752-016-15			LMB 16A-AJ	LMB 162536 AJ	
	SW 16G-AJ		0752-016-00	ADJ-1000		LMB 16-AJ	LBB 16 AJ	LIB 16NTY
	SW 16UU-AJ		0752-216-15					
	SW 16GUU-AJ		0752-216-00	ADJ-1000PP			LBB 16UU AJ	
1-1/4	SW 20-AJ	ADJ-203242	0752-020-15			LMB 20A-AJ	LMB 203242 AJ	
	SW 20G-AJ		0752-020-00	ADJ-1250		LMB 20-AJ	LBB 20 AJ	
	SW 20UU-AJ		0752-220-15					
	SW 20GUU-AJ		0752-220-00	ADJ-1250PP			LBB 20UU AJ	
1-1/2	SW 24-AJ	ADJ-243848	0752-024-15			LMB 24A-AJ	LMB 243848 AJ	
	SW 24G-AJ		0752-024-00	ADJ-1500			LBB 24 AJ	
	SW 24UU-AJ		0752-224-15					
	SW 24GUU-AJ		0752-224-00	ADJ-1500PP			LBB 24UU AJ	
2	SW 32-AJ	ADJ-324864	0752-032-15			LMB 32A-AJ	LMB 324864 AJ	
	SW 32G-AJ		0752-032-00	ADJ-2000			LBB 32 AJ	
	SW 32UU-AJ		0752-232-15					
	SW 32GUU-AJ		0752-232-00	ADJ-2000PP			LBB 32UU AJ	
2-1/2	SW 40-AJ	ADJ-406080	0752-040-15			LMB 40A-AJ	LMB 406080 AJ	
3	SW 48-AJ	ADJ-487296	0752-048-15			LMB 48A-AJ	LMB 487296 AJ	
4	SW 64-AJ	ADJ-6496128	0752-064-15			LMB 64A-AJ	LMB 6496128 AJ	

Double-Wide and Flange Type Slide Bushings are also available. For details, please call **NB**.

### STAINLESS STEEL

NOM. DIA.	NB	THOMSON	STAR
1/2	SWS 8-AJ	ADJ-81420-SS	0752-008-53
5/8	SWS 10-AJ	ADJ-101824-SS	0752-010-53
3/4	SWS 12-AJ	ADJ-122026-SS	0752-012-53
1	SWS 16-AJ	ADJ-162536-SS	0752-016-53
1-1/4	SWS 20-AJ		0752-020-53
1-1/2	SWS 24-AJ		0752-024-53
2	SWS 32-AJ		0752-032-53

The **PRECISION**, **STAINLESS STEEL**, and **PRECISION STAINLESS STEEL** series are also available with Resin Ball Retainer and / or Pre-Sealed Wiper types. For further details, please call **NB**.

# SLIDE BUSH ( INCH DIMENSION )

## OPEN TYPE

NOM. DIA.	NB	THOMSON	STAR	NOOK	INA	THK	IKO	NSK
1/2	SW 8-OP	OPN-81420	0753-008-15			LMB 8A-OP	LMB 81420 OP	
	SW 8G-OP		0753-008-00	OPN-500	KBZ-08 OP	LMB 8-OP	LBB 8 OP	
	SW 8UU-OP		0753-208-15					
	SW 8GUU-OP		0753-208-00	OPN-500PP	KBZ-08 OP PP		LBB 8UU OP	
5/8	SW 10-OP	OPN-101824	0753-010-15				LMB 101824 OP	
	SW 10G-OP		0753-010-00	OPN-625	KBZ-10 OP	LMB 10-OP	LBB 10 OP	
	SW 10UU-OP		0753-210-15					
	SW 10GUU-OP		0753-210-00	OPN-625PP	KBZ-10 OP PP		LBB 10UU OP	
3/4	SW 12-OP	OPN-122026	0753-012-15			LMB 12A-OP	LMB 122026 OP	
	SW 12G-OP		0753-012-00	OPN-750	KBZ-12 OP	LMB 12-OP	LBB 12 OP	LIB 12NKY
	SW 12UU-OP		0753-212-15					
	SW 12GUU-OP		0753-212-00	OPN-750PP	KBZ-12 OP PP		LBB 12UU OP	
1	SW 16-OP	OPN-162536	0753-016-15			LMB 16A-OP	LMB 162536 OP	
	SW 16G-OP		0753-016-00	OPN-1000	KBZ-16 OP	LMB 16-OP	LBB 16 OP	LIB 16NKY
	SW 16UU-OP		0753-216-15					
	SW 16GUU-OP		0753-216-00	OPN-1000PP	KBZ-16 OP PP		LBB 16UU OP	
1-1/4	SW 20-OP	OPN-203242	0753-020-15			LMB 20A-OP	LMB 203242 OP	
	SW 20G-OP		0753-020-00	OPN-1250	KBZ-20 OP	LMB 20-OP	LBB 20 OP	
	SW 20UU-OP		0753-220-15					
	SW 20GUU-OP		0753-220-00	OPN-1250PP	KBZ-20 OP PP		LBB 20UU OP	
1-1/2	SW 24-OP	OPN-243848	0753-024-15			LMB 24A-OP	LMB 243848 OP	
	SW 24G-OP		0753-024-00	OPN-1500	KBZ-24 OP		LBB 24 OP	
	SW 24UU-OP		0753-224-15					
	SW 24GUU-OP		0753-224-00	OPN-1500PP	KBZ-24 OP PP		LBB 24UU OP	
2	SW 32-OP	OPN-324864	0753-032-15			LMB 32A-OP	LMB 324864 OP	
	SW 32G-OP		0753-032-00	OPN-2000	KBZ-32 OP		LBB 32 OP	
	SW 32UU-OP		0753-232-15					
	SW 32GUU-OP		0753-232-00	OPN-2000PP	KBZ-32 OP PP		LBB 32UU OP	
2-1/2	SW 40-OP	OPN-406080	0753-040-15			LMB 40A-OP	LMB 406080 OP	
3	SW 48-OP	OPN-487296	0753-048-15			LMB 48A-OP	LMB 487296 OP	
4	SW 64-OP	OPN-6496128	0753-064-15			LMB 64A-OP	LMB 6496128 OP	

Double-Wide and Flange Type Slide Bushings are also available. For details, please call **NB**.

### STAINLESS STEEL

NOM. DIA.	NB	THOMSON	STAR
1/2	SWS 8-OP	OPN-81420-SS	0753-008-53
5/8	SWS 10-OP	OPN-101824-SS	0753-010-53
3/4	SWS 12-OP	OPN-122026-SS	0753-012-53
1	SWS 16-OP	OPN-162536-SS	0753-016-53
1-1/4	SWS 20-OP		0753-020-53
1-1/2	SWS 24-OP		0753-024-53
2	SWS 32-OP		0753-032-53

The **PRECISION, STAINLESS STEEL**, and **PRECISION STAINLESS STEEL** series are also available with Resin Ball Retainer and / or Pre-Sealed Wiper types. For further details, please call **NB**.

# SLIDE BUSH ( INCH DIMENSION )

## SELF-ALIGNING TYPE

### TOPBALL STANDARD ( High Load ) Type Floating Load Plate Style

NOM. DIA.	NB	THOMSON	STAR	INA
3/16	TW 3	SUPER-3	0755-003-00	KNZ 03
1/4	TW 4	SUPER-4	0755-004-00	KNZ 04
	TW 4UU		0755-204-00	KNZ 04 PP
3/8	TW 6	SUPER-6	0755-006-00	KNZ 06
	TW 6UU		0755-206-00	KNZ 06 PP
1/2	TW 8	SUPER-8	0755-008-00	KNZ 08
	TW 8UU	SUPER-8-DD *	0755-208-00	KNZ 08 PP
5/8	TW 10	SUPER-10	0755-010-00	KNZ 10
	TW 10UU	SUPER-10-DD *	0755-210-00	KNZ 10 PP
3/4	TW 12	SUPER-12	0755-012-00	KNZ 12
	TW 12UU	SUPER-12-DD *	0755-212-00	KNZ 12 PP
1	TW 16	SUPER-16	0755-016-00	KNZ 16
	TW 16UU	SUPER-16-DD *	0755-216-00	KNZ 16 PP
1-1/4	TW 20	SUPER-20	0755-020-00	KNZ 20
	TW 20UU		0755-220-00	KNZ 20 PP
1-1/2	TW 24	SUPER-24	0755-024-00	KNZ 24
	TW 24UU		0755-224-00	KNZ 24 PP
2	TW 32	SUPER-32	0755-032-00	KNZ 32
	TW 32UU		0755-232-00	KNZ 32 PP

### TOPBALL OPEN ( High Load ) Type Floating Load Plate Style

NOM. DIA.	NB	THOMSON	STAR	INA
1/2	TW 8-OP	SUPER-8-OPN	0756-008-00	KNZ 08 OP
	TW 8UU-OP	SUPER-8-OPN-DD *	0756-208-00	KNZ 08 OP PP
5/8	TW 10-OP	SUPER-10-OPN	0756-010-00	KNZ 10 OP
	TW 10UU-OP	SUPER-10-OPN-DD *	0756-210-00	KNZ 10 OP PP
3/4	TW 12-OP	SUPER-12-OPN	0756-012-00	KNZ 12 OP
	TW 12UU-OP	SUPER-12-OPN-DD *	0756-212-00	KNZ 12 OP PP
1	TW 16-OP	SUPER-16-OPN	0756-016-00	KNZ 16 OP
	TW 16UU-OP	SUPER-16-OPN-DD *	0756-216-00	KNZ 16 OP PP
1-1/4	TW 20-OP	SUPER-20-OPN	0756-020-00	KNZ 20 OP
	TW 20UU-OP		0756-220-00	KNZ 20 OP PP
1-1/2	TW 24-OP	SUPER-24-OPN	0756-024-00	KNZ 24 OP
	TW 24UU-OP		0756-224-00	KNZ 24 OP PP
2	TW 32-OP	SUPER-32-OPN	0756-032-00	KNZ 32 OP
	TW 32UU-OP		0756-232-00	KNZ 32 OP PP

### STANDARD TYPE Solid Steel Outer Ring Style (Crowned Radius)

NB "GR" TYPE	
FIXED	ADJUSTABLE
SW 4GR	
SW 4GRUU	
SW 6GR	
SW GRUU	
SW 8GR	SW 8GR-AJ
SW 8GRUU	SW 8GRUU-AJ
SW 10GR	SW 10GR-AJ
SW 10GRUU	SW 10GRUU-AJ
SW 12GR	SW 12GR-AJ
SW 12GRUU	SW 12GRUU-AJ
SW 16GR	SW 16GR-AJ
SW 16GRUU	SW 16GRUU-AJ
SW 20GR	SW 20GR-AJ
SW 20GRUU	SW 20GRUU-AJ
SW 24GR	SW 24GR-AJ
SW 24GRUU	SW 24GRUU-AJ
SW 32GR	SW 32GR-AJ
SW 32GRUU	SW 32GRUU-AJ

### OPEN TYPE Solid Steel Outer Ring Style (Crowned Radius)

NB "GR" TYPE	
SW 8GR-OP	
SW 8GRUU-OP	
SW 10GR-OP	
SW 10GRUU-OP	
SW 12GR-OP	
SW 12GRUU-OP	
SW 16GR-OP	
SW 16GRUU-OP	
SW 20GR-OP	
SW 20GRUU-OP	
SW 24GR-OP	
SW 24GRUU-OP	
SW 32GR-OP	
SW 32GRUU-OP	

\* The "DD" type's overall length is longer in comparison to NB's TOPBALL pre-sealed series. Since this type of bushing is not recommended for press-fit application, normally external retaining rings or internal push rings are typically used. TOPBALL's shorter overall length should not present any difficulty to user in replacement considerations of the "DD" type.

NB's "GR" series is dimensionally interchangeable with all self-aligning types. The load capacity of the "GR" series is equal to that of a conventional type Slide Bush and may be used in press-fit applications.

# SLIDE BUSH ( EURO METRIC DIMENSION ) STANDARD TYPE

NOM. DIA.	NB	SKF	INA	THOMSON	STAR	THK	IKO
3	KB 3						
	KB 3G						
4	KB 4						
	KB 4G						
5	KB 5				0600-305-00	LME 5A	
	KB 5G	LBAR 5				LME 5	LBE 5
	KB 5UU				0602-305-10	LME 5AUU	
	KB 5GUU	LBAR 5 2LS				LME 5UU	LBE 5UU
8	KB 8				0600-308-00	LME 8A	LME 81625
	KB 8G	LBAR 8		MA M08		LME 8	LBE 8
	KB 8UU				0602-308-10	LME 8AUU	LME 81625 UU
	KB 8GUU	LBAR 8 2LS		MA M08 WW		LME 8UU	LBE 8UU
10	KB 10						
	KB 10G						
	KB 10UU						
	KB 10GUU						
12	KB 12				0600-012-00	LME 12A	LME 122232
	KB 12G	LBAR 12		MA M12		LME 12	LBE 12
	KB 12UU				0602-012-10	LME 12AUU	LME 122232 UU
	KB 12GUU	LBAR 12 2LS		MA M12 WW		LME 12UU	LBE 12UU
16	KB 16				0600-016-00	LME 16A	LME 162636
	KB 16G	LBAR 16	KB 1636	MA M16		LME 16	LBE 16
	KB 16UU				0602-016-10	LME 16AUU	LME 162636 UU
	KB 16GUU	LBAR 16 2LS	KB 1636 PP	MA M16 WW		LME 16UU	LBE 16UU
20	KB 20				0600-020-00	LME 20A	LME 203245
	KB 20G	LBAR 20	KB 2045	MA M20		LME 20	LBE 20
	KB 20UU				0602-020-10	LME 20AUU	LME 203245 UU
	KB 20GUU	LBAR 20 2LS	KB 2045 PP	MA M20 WW		LME 20UU	LBE 20UU
25	KB 25				0600-025-00	LME 25A	LME 254058
	KB 25G	LBAR 25	KB 2558	MA M25		LME 25	LBE 25
	KB 25UU				0602-025-10	LME 25AUU	LME 254058 UU
	KB 25GUU	LBAR 25 2LS	KB 2558 PP	MA M25 WW		LME 25UU	LBE 25UU
30	KB 30				0600-030-00	LME 30A	LME 304768
	KB 30G	LBAR 30	KB 3068	MA M30		LME 30	LBE 30
	KB 30UU				0602-030-10	LME 30AUU	LME 304768 UU
	KB 30GUU	LBAR 30 2LS	KB 3068 PP	MA M30 WW		LME 30UU	LBE 30UU
40	KB 40				0600-040-00	LME 40A	LME 406280
	KB 40G	LBAR 40	KB 4080	MA M40		LME 40	LBE 40
	KB 40UU				0602-040-10	LME 40AUU	LME 406280 UU
	KB 40GUU	LBAR 40 2LS	KB 4080 PP	MA M40 WW		LME 40UU	LBE 40UU
50	KB 50				0600-050-00	LME 50A	LME 5075100
	KB 50G	LBAR 50	KB 50100			LME 50	LBE 50
	KB 50UU				0602-050-10	LME 50AUU	LME 5075100 UU
	KB 50GUU	LBAR 50 2LS	KB 50100 PP			LME 50UU	LBE 50UU
60	KB 60				0600-060-00	LME 60A	LME 6090125
	KB 60G	LBAR 60				LME 60	LME 6090125N
	KB 60UU				0602-060-10	LME 60AUU	LME 6090125 UU
	KB 60GUU	LBAR 60 2LS				LME 60UU	LME 6090125NUU
80	KB 80				0600-080-00	LME 80A	LME 80120165
	KB 80UU				0602-080-10	LME 80AUU	LME 80120165UU

Stainless Steel, Double-Wide and Flange Type Slide Bushings are also available. For details, please call **NB**.

# SLIDE BUSH ( EURO METRIC DIMENSION ) ADJUSTABLE TYPE

NOM. DIA.	NB	SKF	INA	THOMSON	STAR	THK	IKO
5	KB 5G-AJ	LBAS 5				LME 5-AJ	LBE 5 AJ
	KB 5GUU-AJ	LBAS 5 2LS				LME 5UU-AJ	LBE 5UU AJ
8	KB 8G-AJ	LBAS 8		MA M08 ADJ		LME 8-AJ	LBE 8 AJ
	KB 8GUU-AJ	LBAS 8 2LS		MA M08 ADJ WW		LME 8UU-AJ	LBE 8UU AJ
10	KB 10G-AJ						
	KB 10GUU-AJ						
12	KB 12-AJ				0610-012-00	LME 12A-AJ	LME 122232 AJ
	KB 12G-AJ	LBAS 12		MA M12 ADJ		LME 12-AJ	LBE 12 AJ
	KB 12UU-AJ				0612-012-10	LME 12AUU-AJ	LME 122232 UU AJ
	KB 12GUU-AJ	LBAS 12 2LS		MA M12 ADJ WW		LME 12UU-AJ	LBE 12UU AJ
16	KB 16-AJ				0610-016-00	LME 16A-AJ	LME 162636 AJ
	KB 16G-AJ	LBAS 16	KBS 1636	MA M16 ADJ		LME 16-AJ	LBE 16 AJ
	KB 16UU-AJ				0612-016-10	LME 16AUU-AJ	LME 162636 UU AJ
	KB 16GUU-AJ	LBAS 16 2LS	KBS 1636 PP	MA M16 ADJ WW		LME 16UU-AJ	LBE 16UU AJ
20	KB 20-AJ				0610-020-00	LME 20A-AJ	LME 203245 AJ
	KB 20G-AJ	LBAS 20	KBS 2045	MA M20 ADJ		LME 20-AJ	LBE 20 AJ
	KB 20UU-AJ				0612-020-10	LME 20AUU-AJ	LME 203245 UU AJ
	KB 20GUU-AJ	LBAS 20 2LS	KBS 2045 PP	MA M20 ADJ WW		LME 20UU-AJ	LBE 20UU AJ
25	KB 25-AJ				0610-025-00	LME 25A-AJ	LME 254058 AJ
	KB 25G-AJ	LBAS 25	KBS 2558	MA M25 ADJ		LME 25-AJ	LBE 25 AJ
	KB 25UU-AJ				0612-025-10	LME 25AUU-AJ	LME 254058 UU AJ
	KB 25GUU-AJ	LBAS 25 2LS	KBS 2558 PP	MA M25 ADJ WW		LME 25UU-AJ	LBE 25UU AJ
30	KB 30-AJ				0610-030-00	LME 30A-AJ	LME 304768 AJ
	KB 30G-AJ	LBAS 30	KBS 3068	MA M30 ADJ		LME 30-AJ	LBE 30 AJ
	KB 30UU-AJ				0612-030-10	LME 30AUU-AJ	LME 304768 UU AJ
	KB 30GUU-AJ	LBAS 30 2LS	KBS 3068 PP	MA M30 ADJ WW		LME 30UU-AJ	LBE 30UU AJ
40	KB 40-AJ				0610-040-00	LME 40A-AJ	LME 406280 AJ
	KB 40G-AJ	LBAS 40	KBS 4080	MA M40 ADJ		LME 40-AJ	LBE 40 AJ
	KB 40UU-AJ				0612-040-10	LME 40AUU-AJ	LME 406280 UU AJ
	KB 40GUU-AJ	LBAS 40 2LS	KBS 4080 PP	MA M40 ADJ WW		LME 40UU-AJ	LBE 40UU AJ
50	KB 50-AJ				0610-050-00	LME 50A-AJ	LME 5075100 AJ
	KB 50G-AJ	LBAS 50	KBS 50100			LME 50-AJ	LBE 50 AJ
	KB 50UU-AJ				0612-050-10	LME 50AUU-AJ	LME 5075100 UU AJ
	KB 50GUU-AJ	LBAS 50 2LS	KBS 50100 PP			LME 50UU-AJ	LBE 50UU AJ
60	KB 60-AJ				0610-060-00	LME 60A-AJ	LME 6090125 AJ
	KB 60G-AJ	LBAS 60				LME 60-AJ	LME 6090125N AJ
	KB 60UU-AJ				0612-060-10	LME 60AUU-AJ	LME 6090125 UU AJ
	KB 60GUU-AJ	LBAS 60 2LS				LME 60UU-AJ	LME 6090125UU AJ
80	KB 80-AJ				0610-080-00	LME 80A-AJ	LME 80120165 AJ
	KB 80UU-AJ				0612-080-10	LME 80AUU-AJ	LME 80120165UU AJ

Stainless Steel, Double-Wide and Flange Type Slide Bushings are also available. For details, please call **NB**.

# SLIDE BUSH ( EURO METRIC DIMENSION ) OPEN TYPE

NOM. DIA.	NB	SKF	INA	THOMSON	STAR	THK	IKO
10	KB 10G-OP						
	KB 10GUU-OP						
12	KB 12-OP				0630-012-00	LME 12A-OP	LME 122232 OP
	KB 12G-OP	LBAT 12		MA M12 OPN		LME 12-OP	LBE 12 OP
	KB 12UU-OP				0632-012-10	LME 12AUU-OP	LME 122232 UU OP
	KB 12GUU-OP	LBAT 12 2LS		MA M12 OPN WW		LME 12UU-OP	LBE 12UU OP
16	KB 16-OP				0630-016-00	LME 16A-OP	LME 162636 OP
	KB 16G-OP	LBAT 16	KBO 1636	MA M16 OPN		LME 16-OP	LBE 16 OP
	KB 16UU-OP				0632-016-10	LME 16AUU-OP	LME 162636 UU OP
	KB 16GUU-OP	LBAT 16 2LS	KBO 1636 PP	MA M16 OPN WW		LME 16UU-OP	LBE 16UU OP
20	KB 20-OP				0630-020-00	LME 20A-OP	LME 203245 OP
	KB 20G-OP	LBAT 20	KBO 2045	MA M20 OPN		LME 20-OP	LBE 20 OP
	KB 20UU-OP				0632-020-10	LME 20AUU-OP	LME 203245 UU OP
	KB 20GUU-OP	LBAT 20 2LS	KBO 2045 PP	MA M20 OPN WW		LME 20UU-OP	LBE 20UU OP
25	KB 25-OP				0630-025-00	LME 25A-OP	LME 254058 OP
	KB 25G-OP	LBAT 25	KBO 2558	MA M25 OPN		LME 25-OP	LBE 25 OP
	KB 25UU-OP				0632-025-10	LME 25AUU-OP	LME 254058 UU OP
	KB 25GUU-OP	LBAT 25 2LS	KBO 2558 PP	MA M25 OPN WW		LME 25UU-OP	LBE 25UU OP
30	KB 30-OP				0630-030-00	LME 30A-OP	LME 304768 OP
	KB 30G-OP	LBAT 30	KBO 3068	MA M30 OPN		LME 30-OP	LBE 30 OP
	KB 30UU-OP				0632-030-10	LME 30AUU-OP	LME 304768 UU OP
	KB 30GUU-OP	LBAT 30 2LS	KBO 3068 PP	MA M30 OPN WW		LME 30UU-OP	LBE 30UU OP
40	KB 40-OP				0630-040-00	LME 40A-OP	LME 406280 OP
	KB 40G-OP	LBAT 40	KBO 4080	MA M40 OPN		LME 40-OP	LBE 40 OP
	KB 40UU-OP				0632-040-10	LME 40AUU-OP	LME 406280 UU OP
	KB 40GUU-OP	LBAT 40 2LS	KBO 4080 PP	MA M40 OPN WW		LME 40UU-OP	LBE 40UU OP
50	KB 50-OP				0630-050-00	LME 50A-OP	LME 5075100 OP
	KB 50G-OP	LBAT 50	KBO 50100			LME 50-OP	LBE 50 OP
	KB 50UU-OP				0632-050-10	LME 50AUU-OP	LME 5075100 UU OP
	KB 50GUU-OP	LBAT 50 2LS	KBO 50100 PP			LME 50UU-OP	LBE 50UU OP
60	KB 60-OP				0630-060-00	LME 60A-OP	LME 6090125 OP
	KB 60G-OP	LBAT 60				LME 60-OP	LME 6090125N OP
	KB 60UU-OP				0632-060-10	LME 60AUU-OP	LME 6090125 UU OP
	KB 60GUU-OP	LBAT 60 2LS				LME 60UU-OP	LME 6090125UU OP
80	KB 80-OP				0630-080-00	LME 80A-OP	LME 80120165 OP
	KB 80UU-OP				0632-080-10	LME 80AUU-OP	LME 80120165UU OP

Stainless Steel, Double-Wide and Flange Type Slide Bushings are also available. For details, please call **NB**.



# SLIDE BUSH ( ERUO METRIC DIMENSION ) SELF-ALIGNING TYPE

## TOPBALL ( High Load ) Type

### Floating Load Plate Style

NOM. DIA.	NB	THOMSON	STAR	I N A	SKF
10	TK 10		0670-010-00		
	TK 10UU		0670-210-40		
12	TK 12	SP M12	0670-012-00	KN 1232	LBCD12
	TK 12UU	SP M12 WW	0670-212-40	KN 1232 PP	LBCD12-2LS
	TK 12-OP	SP M12 OPN	0671-012-00	KNO 1232	LBCF12
	TK 12UU-OP	SP M12 OPN WW	0671-212-40	KNO 1232 PP	LBCF12-2LS
16	TK 16	SP M16	0670-016-00	KN 1636	LBCD16
	TK 16UU	SP M16 WW	0670-216-40	KN 1636 PP	LBCD16-2LS
	TK 16-OP	SP M16 OPN	0671-016-00	KNO 1636	LBCF16
	TK 16UU-OP	SP M16 OPN WW	0670-216-40	KNO 1636 PP	LBCF16-2LS
20	TK 20	SP M20	0670-020-00	KN 2045	LBCD20
	TK 20UU	SP M20 WW	0670-220-40	KN 2045 PP	LBCD20-2LS
	TK 20-OP	SP M20 OPN	0671-020-00	KNO 2045	LBCF20
	TK 20UU-OP	SP M20 OPN WW	0671-220-40	KNO 2045 PP	LBCF20-2LS
25	TK 25	SP M25	0670-025-00	KN 2558	LBCD25
	TK 25UU	SP M25 WW	0670-225-40	KN 2558 PP	LBCD25-2LS
	TK25-OP	SP M25 OPN	0671-025-00	KNO 2558	LBCF25
	TK 25UU-OP	SP M25 OPN WW	0671-225-40	KNO 2558 PP	LBCF25-2LS
30	TK 30	SP M30	0670-030-00	KN 3068	LBCD30
	TK 30UU	SP M30 WW	0670-230-40	KN 3068 PP	LBCD30-2LS
	TK 30-OP	SP M30 OPN	0671-030-00	KNO 3068	LBCF30
	TK 30UU-OP	SP M30 OPN WW	0671-230-40	KNO 3068 PP	LBCF30-2LS
40	TK 40	SP M40	0670-040-00	KN 4080	LBCD40
	TK 40UU	SP M40 WW	0670-240-40	KN 4080 PP	LBCD40-2LS
	TK 40-OP	SP M40 OPN	0671-040-00	KNO 4080	LBCF40
	TK 40UU-OP	SP M40 OPN WW	0671-240-40	KNO 4080 PP	LBCF40-2LS

# SLIDE BUSH ( METRIC DIMENSION )

## STANDARD TYPE

NOM. DIA.	NB	THK	IKO	NSK	ASK	OZAK	TSK
3	SM 3	LM 3A					
	SM 3G	LM 3	LMS 3	LB 3Y		L 3	
4	SM 4	LM 4A					
	SM 4G	LM 4	LMS 4	LB 4Y		L 4	
5	SM 5	LM 5A					
	SM 5G	LM 5	LMS 5	LB 5Y		L 5	
	SM 5UU	LM 5AUU					
6	SM 6	LM 6A	LM 61219		N-6		
	SM 6G	LM 6	LBD 6	LB 6NY		L 6	TB-6
	SM 6UU	LM 6AUU	LM 61219 UU		N-6 UU		
	SM 6GUU	LM 6UU	LBD 6 UU	LB 6NYDD		L 6-UU	TB-6UU
8s	SM 8s	LM 8SA	LM 81517				
	SM 8sG	LM 8S	LBD 8S	LB 8ANY		L 8A	
	SM 8sUU	LM 8SAUU	LM 81517 UU				
	SM 8sGUU	LM 8SUU	LBD 8S UU	LB 8ANYDD		L 8A-UU	
8	SM 8	LM 8A	LM 81524		N-8		
	SM 8G	LM 8	LBD 8	LB 8NY	N-8V	L 8B	TB-8
	SM 8UU	LM 8AUU	LM 81524 UU		N-8 UU		
	SM 8GUU	LM 8UU	LBD 8 UU	LB 8NYDD	N-8V UU	L 8B-UU	TB-8UU
10	SM 10	LM 10A	LM 101929		N-10		
	SM 10G	LM 10	LBD 10	LB 10NY	N-10V	L 10	TB-10
	SM 10UU	LM 10AUU	LM 101929 UU		N-10 UU		
	SM 10GUU	LM 10UU	LBD 10 UU	LB 10NYDD	N-10V UU	L 10-UU	TB-10UU
12	SM 12	LM 12A	LM 122130		N-12		
	SM 12G	LM 12	LBD 12	LB 12NY	N-12V	L 12	TB-12
	SM 12UU	LM 12AUU	LM 122130 UU		N-12 UU		
	SM 12GUU	LM 12UU	LBD 12 UU	LB 12NYDD	N-12V UU	L 12-UU	TB-12UU
13	SM 13	LM 13A	LM 132332		N-13		
	SM 13G	LM 13	LBD 13	LB 13NY	N-13V	L 13	TB-13
	SM 13UU	LM 13AUU	LM 132332 UU		N-13 UU		
	SM 13GUU	LM 13UU	LBD 13 UU	LB 13NYDD	N-13V UU	L 13-UU	TB-13UU
16	SM 16	LM 16A	LM 162837		N-16		
	SM 16G	LM 16	LBD 16	LB 16NY	N-16V	L 16	TB-16
	SM 16UU	LM 16AUU	LM 162837 UU		N-16 UU		
	SM 16GUU	LM 16UU	LBD 16 UU	LB 16NYDD	N-16V UU	L 16-UU	TB-16UU
20	SM 20	LM 20A	LM 203242		N-20		
	SM 20G	LM 20	LBD 20	LB 20NY	N-20V	L 20	TB-20
	SM 20UU	LM 20AUU	LM 203242 UU		N-20 UU		
	SM 20GUU	LM 20UU	LBD 20 UU	LB 20NYDD	N-20V UU	L 20-UU	TB-20UU
25	SM 25	LM 25A	LM 254059		N-25B		
	SM 25G	LM 25	LBD 25	LB 25NY	N-25BV	L 25B	TB-25
	SM 25UU	LM 25AUU	LM 254059 UU		N-25B UU		
	SM 25GUU	LM 25UU	LBD 25 UU	LB 25NYDD	N-25BV UU	L 25B-UU	TB-25UU
30	SM 30	LM 30A	LM 304564		N-30		
	SM 30G	LM 30	LBD 30	LB 30NY	N-30V	L 30A	TB-30
	SM 30UU	LM 30AUU	LM 304564 UU		N-30 UU		
	SM 30GUU	LM 30UU	LBD 30 UU	LB 30NYDD	N-30V UU	L 30A-UU	TB-30UU
35	SM 35	LM 35A	LM 355270		N-35		
	SM 35G	LM 35	LBD 35	LB 35NY	N-35V	L 35	TB-35
	SM 35UU	LM 35AUU	LM 355270 UU		N-35 UU		
	SM 35GUU	LM 35UU	LBD 35 UU	LB 35NYDD	N-35V UU	L 35-UU	TB-35UU
40	SM 40	LM 40A	LM 406080		N-40		
	SM 40G	LM 40	LBD 40	LB 40NY	N-40V	L 40	TB-40
	SM 40UU	LM 40AUU	LM 406080 UU		N-40 UU		
	SM 40GUU	LM 40UU	LBD 40 UU	LB 40NYDD	N-40V UU	L 40-UU	TB-40UU
50	SM 50	LM 50A	LM 5080100		N-50H		
	SM 50G	LM 50	LBD 50	LB 50NY	N-50HV	L 50B	TB-50
	SM 50UU	LM 50AUU	LM 5080100 UU		N-50H UU		
	SM 50GUU	LM 50UU	LBD 50 UU	LB 50NYDD	N-50HV UU	L 50B-UU	TB-50UU
60	SM 60	LM 60A	LM 6090110	LB 60ANV	N-60		
	SM 60G	LM 60	LBD 60		N-60V	L 60	
	SM 60UU	LM 60AUU	LM 6090110 UU	LB 60ANVDD	N-60 UU		
	SM 60GUU	LM 60UU	LBD 60 UU		N-60V UU	L 60-UU	
80	SM 80	LM 80A	LM 80120140	LB 80ANV	N-80		
	SM 80G	LM 80			N-80V	L 80	
	SM 80UU	LM 80AUU	LM 80120140 UU	LB 80ANVDD	N-80 UU		
	SM 80GUU	LM 80UU			N-80V UU	L 80-UU	
100	SM 100	LM 100A	LM 100150175				
	SM 100UU	LM 100AUU	LM 100150175 UU				
120	SM 120	LM 120A	LM 120180200				
	SM 120UU	LM 120AUU	LM 120180200 UU				
150	SM 150	LM 150A	LM 150210240				
	SM 150UU	LM 150AUU	LM 150210240 UU				

Stainless Steel, Double-Wide and Flange Type Slide Bushings are also available. For further details, please call **NB**.

# SLIDE BUSH ( METRIC DIMENSION )

## ADJUSTABLE TYPE

NOM. DIA.	NB	THK	IKO	NSK	ASK	OZAK	TSK
6	SM 6G-AJ	LM 6-AJ	LBD 6 AJ	LB 6NTY		L 6-ADJ	
	SM 6GUU-AJ	LM 6UU-AJ	LBD 6 UU AJ	LB 6NTYDD		L 6-ADJUU	
8s	SM 8sG-AJ	LM 8S-AJ	LBD 8S AJ	LB 8ANTY		L 8A-ADJ	
	SM 8sGUU-AJ	LM 8SUU-AJ	LBD 8S UU AJ	LB 8ANTYDD		L 8A-ADJUU	
8	SM 8G-AJ	LM 8-AJ	LBD 8 AJ	LB 8NTY	N-8V-ADJ	L 8B-ADJ	
	SM 8GUU-AJ	LM 8UU-AJ	LBD 8 UU AJ	LB 8NTYDD	N-8V UU-ADJ	L 8B-ADJUU	
10	SM 10G-AJ	LM 10-AJ	LBD 10 AJ	LB 10NTY	N-10V-ADJ	L 10-ADJ	
	SM 10GUU-AJ	LM 10UU-AJ	LBD 10 UU AJ	LB 10NTYDD	N-10V UU-ADJ	L 10-ADJUU	
12	SM 12-AJ	LM 12A-AJ	LM 122130 AJ		N-12-ADJ		
	SM 12G-AJ	LM 12-AJ	LBD 12 AJ	LB 12NTY	N-12V-ADJ	L 12-ADJ	
	SM 12UU-AJ	LM 12AUU-AJ	LM 122130 UU AJ		N-12 UU-ADJ		
13	SM 12GUU-AJ	LM 12UU-AJ	LBD 12 UU AJ	LB 12NTYDD	N-12V UU-ADJ	L 12-AJDUU	
	SM 13-AJ	LM 13A-AJ	LM 132332 AJ		N-13-ADJ		
	SM 13G-AJ	LM 13-AJ	LBD 13 AJ	LB 13NTY	N-13V-ADJ	L 13-ADJ	
16	SM 13UU-AJ	LM 13AUU-AJ	LM 132332 UU AJ		N-13 UU-ADJ		
	SM 13GUU-AJ	LM 13UU-AJ	LBD 13 UU AJ	LB 13NTYDD	N-13V UU-ADJ	L 13-ADJUU	
	SM 16-AJ	LM 16A-AJ	LM 162837 AJ		N-16-ADJ		
20	SM 16G-AJ	LM 16-AJ	LBD 16 AJ	LB 16NTY	N-16V-ADJ	L 16-ADJ	TB-16ADJ
	SM 16UU-AJ	LM 16AUU-AJ	LM 162837 UU AJ		N-16 UU-ADJ		
	SM 16GUU-AJ	LM 16UU-AJ	LBD 16 UU AJ	LB 16NTYDD	N-16V UU-ADJ	L 16-ADJUU	TB-16ADJUU
25	SM 20-AJ	LM 20A-AJ	LM 203242 AJ		N-20-ADJ		
	SM 20G-AJ	LM 20-AJ	LBD 20 AJ	LB 20NTY	N-20V-ADJ	L 20-ADJ	TB-20ADJ
	SM 20UU-AJ	LM 20AUU-AJ	LM 203242 UU AJ		N-20 UU-ADJ		
30	SM 20GUU-AJ	LM 20UU-AJ	LBD 20 UU AJ	LB 20NTYDD	N-20V UU-ADJ	L 20-ADJUU	TB-20ADJUU
	SM 25-AJ	LM 25A-AJ	LM 254059 AJ		N-25B-ADJ		
	SM 25G-AJ	LM 25-AJ	LBD 25 AJ	LB 25NTY	N-25BV-ADJ	L 25B-ADJ	TB-25ADJ
35	SM 25UU-AJ	LM 25AUU-AJ	LM 254059 UU AJ		N-25B UU-ADJ		
	SM 25GUU-AJ	LM 25UU-AJ	LBD 25 UU AJ	LB 25NTYDD	N-25BV UU-ADJ	L 25B-ADJUU	TB-25ADJUU
	SM 30-AJ	LM 30A-AJ	LM 304564 AJ		N-30-ADJ		
40	SM 30G-AJ	LM 30-AJ	LBD 30 AJ	LB 30NTY	N-30V-ADJ	L 30A-ADJ	TB-30ADJ
	SM 30UU-AJ	LM 30AUU-AJ	LM 304564 UU AJ		N-30 UU-ADJ		
	SM 30GUU-AJ	LM 30UU-AJ	LBD 30 UU AJ	LB 30NTYDD	N-30V UU-ADJ	L 30A-ADJUU	TB-30ADJUU
50	SM 35-AJ	LM 35A-AJ	LM 355270 AJ		N-35-ADJ		
	SM 35G-AJ	LM 35-AJ	LBD 35 AJ	LB 35NTY	N-35V-ADJ	L 35-ADJ	TB-35ADJ
	SM 35UU-AJ	LM 35AUU-AJ	LM 355270 UU AJ		N-35 UU-ADJ		
60	SM 35GUU-AJ	LM 35UU-AJ	LBD 35UU AJ	LB 35NTYDD	N-35V UU-ADJ	L 35-ADJUU	TB-35ADJUU
	SM 40-AJ	LM 40A-AJ	LM 406080 AJ		N-40-ADJ		
	SM 40G-AJ	LM 40-AJ	LBD 40 AJ	LB 40NTY	N-40V-ADJ	L 40-ADJ	TB-40ADJ
80	SM 40UU-AJ	LM 40AUU-AJ	LM 406080 UU AJ		N-40 UU-ADJ		
	SM 40GUU-AJ	LM 40UU-AJ	LBD 40 UU AJ	LB 40NTYDD	N-40V UU-ADJ	L 40-ADJUU	TB-40ADJUU
	SM 50-AJ	LM 50A-AJ	LM 5080100 AJ		N-50H-ADJ		
100	SM 50G-AJ	LM 50-AJ	LBD 50 AJ	LB 50NTY	N-50HV-ADJ	L 50B-ADJ	
	SM 50UU-AJ	LM 50AUU-AJ	LM 5080100 UU AJ		N-50H UU-ADJ		
	SM 50GUU-AJ	LM 50UU-AJ	LBD 50 UU AJ	LB 50NTYDD	N-50HV UU-ADJ	L 50B-ADJUU	
120	SM 60-AJ	LM 60A-AJ	LM 6090110 AJ	LB 60ANTV	N-60-ADJ		
	SM 60G-AJ	LM 60-AJ	LBD 60 AJ		N-60V-ADJ	L 60-ADJ	
	SM 60UU-AJ	LM 60AUU-AJ	LM 6090110 UU AJ	LB 60ANTVDD	N-60 UU-ADJ		
150	SM 60GUU-AJ	LM 60UU-AJ	LBD 60 UU AJ		N-60V UU-ADJ	L 60-ADJUU	
	SM 80-AJ	LM 80A-AJ	LM 80120140 AJ	LB 80ANTV	N-80-ADJ		
	SM 80G-AJ	LM 80-AJ			N-80V-ADJ	L 80-ADJ	
150	SM 80UU-AJ	LM 80AUU-AJ	LM 80120140 UU AJ	LB 80ANTVDD	N-80 UU-ADJ		
	SM 80GUU-AJ	LM 80UU-AJ			N-80V UU-ADJ	L 80-ADJUU	
	SM 100-AJ	LM 100A-AJ	LM 100150175 AJ				
120	SM 100UU-AJ	LM 100AUU-AJ	LM 100150175 UU AJ				
	SM 120-AJ	LM 120A-AJ	LM 120180200 AJ				
150	SM 120UU-AJ	LM 120AUU-AJ	LM 120180200 UU AJ				
	SM 150-AJ	LM 150A-AJ	LM 150210240 AJ				
	SM 150UU-AJ	LM 150AUU-AJ	LM 150210240 UU AJ				

Stainless Steel, Double-Wide and Flange Type Slide Bushings are also available. For further details, please call **NB**.

# SLIDE BUSH ( METRIC DIMENSION )

## OPEN TYPE

NOM. DIA.	NB	THK	IKO	NSK	ASK	OZAK	TSK
10	SM 10G-OP		LBD 10 OP				
	SM 10GUU-OP		LBD 10 UU OP				
12	SM 12-OP	LM 12A-OP	LM 122130 OP				
	SM 12G-OP	LM 12-OP	LBD 12 OP				
	SM 12UU-OP	LM 12AUU-OP	LM 122130 UU OP				
	SM 12GUU-OP	LM 12UU-OP	LBD 12 UU OP				
13	SM 13-OP	LM 13A-OP	LM 132332 OP				
	SM 13G-OP	LM 13-OP	LBD 13 OP				
	SM 13UU-OP	LM 13AUU-OP	LM 132332 UU OP				
	SM 13GUU-OP	LM 13UU-OP	LBD 13 UU OP				
16	SM 16-OP	LM 16A-OP	LM 162837 OP				
	SM 16G-OP	LM 16-OP	LBD 16 OP		N-16V-OP	L 16-OP	TB-16OP
	SM 16UU-OP	LM 16AUU-OP	LM 162837 UU OP				
	SM 16GUU-OP	LM 16UU-OP	LBD 16 UU OP		N-16V UU-OP	L 16-OPUU	TB-16OPUU
20	SM 20-OP	LM 20A-OP	LM 203242 OP		N-20-OP		
	SM 20G-OP	LM 20-OP	LBD 20 OP	LB 20NKY	N-20V-OP	L 20-OP	TB-20OP
	SM 20UU-OP	LM 20AUU-OP	LM 203242 UU OP		N-20 UU-OP		
	SM 20GUU-OP	LM 20UU-OP	LBD 20 UU OP		N-20V UU-OP	L 20-OPUU	TB-20OPUU
25	SM 25-OP	LM 25A-OP	LM 254059 OP		N-25B-OP		
	SM 25G-OP	LM 25-OP	LBD 25 OP	LB 25NKY	N-25BV-OP	L 25B-OP	TB-25OP
	SM 25UU-OP	LM 25AUU-OP	LM 254059 UU OP		N-25B UU-OP		
	SM 25GUU-OP	LM 25UU-OP	LBD 25 UU OP		N-25BV UU-OP	L 25B-OPUU	TB-25OPUU
30	SM 30-OP	LM 30A-OP	LM 304564 OP		N-30-OP		
	SM 30G-OP	LM 30-OP	LBD 30 OP	LB 30NKY	N-30V-OP	L 30A-OP	TB-30OP
	SM 30UU-OP	LM 30AUU-OP	LM 304564 UU OP		N-30 UU-OP		
	SM 30GUU-OP	LM 30UU-OP	LBD 30 UU OP		N-30V UU-OP	L 30A-OPUU	TB-30OPUU
35	SM 35-OP	LM 35A-OP	LM 355270 OP		N-35-OP		
	SM 35G-OP	LM 35-OP	LBD 35 OP	LB 35NKY	N-35V-OP	L 35-OP	TB-35OP
	SM 35UU-OP	LM 35AUU-OP	LM 355270 UU OP		N-35 UU-OP		
	SM 35GUU-OP	LM 35UU-OP	LBD 35 UU OP		N-35V UU-OP	L 35-OPUU	TB-35OPUU
40	SM 40-OP	LM 40A-OP	LM 406080 OP		N-40-OP		
	SM 40G-OP	LM 40-OP	LBD 40 OP	LB 40NKY	N-40V-OP	L 40-OP	TB-40OP
	SM 40UU-OP	LM 40AUU-OP	LM 406080 UU OP		N-40 UU-OP		
	SM 40GUU-OP	LM 40UU-OP	LBD 40 UU OP		N-40V UU-OP	L 40-OPUU	TB-40OPUU
50	SM 50-OP	LM 50A-OP	LM 5080100 OP		N-50H-OP		
	SM 50G-OP	LM 50-OP	LBD 50 OP	LB 50NKY	N-50HV-OP	L 50B-OP	
	SM 50UU-OP	LM 50AUU-OP	LM 5080100 UU OP		N-50H UU-OP		
	SM 50GUU-OP	LM 50UU-OP	LBD 50 UU OP		N-50HV UU-OP	L 50B-OPUU	
60	SM 60-OP	LM 60A-OP	LM 6090110 OP	LB 60ANKV	N-60-OP		
	SM 60G-OP	LM 60-OP	LBD 60 OP		N-60V-OP	L 60-OP	
	SM 60UU-OP	LM 60AUU-OP	LM 6090110 UU OP		N-60 UU-OP		
	SM 60GUU-OP	LM 60UU-OP	LBD 60 UU OP		N-60V UU-OP	L 60-OPUU	
80	SM 80-OP	LM 80A-OP	LM 80120140 OP	LB 80ANKV	N-80-OP		
	SM 80G-OP	LM 80-OP			N-80V-OP	L 80-OP	
	SM 80UU-OP	LM 80AUU-OP	LM 80120140 UU OP		N-80 UU-OP		
	SM 80GUU-OP	LM 80UU-OP			N-80V UU-OP	L 80-OPUU	
100	SM 100-OP	LM 100A-OP	LM 100150175 OP				
	SM 100UU-OP	LM 100AUU-OP	LM 100150175 UU OP				
120	SM 120-OP	LM 120A-OP	LM 120180200 OP				
	SM 120UU-OP	LM 120AUU-OP	LM 120180200 UU OP				
150	SM 150-OP	LM 150A-OP	LM 150210240 OP				
	SM 150UU-OP	LM 150AUU-OP	LM 150210240 UU OP				

Stainless Steel, Double-Wide and Flange Type Slide Bushings are also available. For further details, please call **NB**.

# SLIDE UNIT ( INCH DIMENSION )

## SINGLE - WIDE STYLES

**BLOCK TYPE - High Load**  
FLOATING LOAD PLATE TYPE

SELF-ALIGNING TYPE				
NOM. DIA.	NB	THOMSON	STAR	I N A
1/4	TWA 4UU	SPB-4	1755-704-00	KGNZ 04 PP
3/8	TWA 6UU	SPB-6	1755-706-00	KGNZ 06 PP
1/2	TWA 8UU	SPB-8	1755-708-00	KGNZ 08 PP
5/8	TWA 10UU	SPB-10	1755-710-00	KGNZ 10 PP
3/4	TWA 12UU	SPB-12	1755-712-00	KGNZ 12 PP
1	TWA 16UU	SPB-16	1755-716-00	KGNZ 16 PP
1-1/4	TWA 20UU	SPB-20	1755-720-00	KGNZ 20 PP
1-1/2	TWA 24UU	SPB-24	1755-724-00	KGNZ 24 PP
2	TWA 32UU	SPB-32	1755-732-00	KGNZ 32 PP

**BLOCK TYPE - Normal Load**  
SOLID OUTER RING TYPES

NB		
SELF-ALIGNING	FIXED - ALIGNMENT	
SWA 4GRUU	SWA 4UU	SWA 4GUU
SWA 6GRUU	SWA 6UU	SWA 6GUU
SWA 8GRUU	SWA 8UU	SWA 8GUU
SWA 10GRUU	SWA 10UU	SWA 10GUU
SWA 12GRUU	SWA 12UU	SWA 12GUU
SWA 16GRUU	SWA 16UU	SWA 16GUU
SWA 20GRUU	SWA 20UU	SWA 20GUU
SWA 24GRUU	SWA 24UU	SWA 24GUU
SWA 32GRUU	SWA 32UU	SWA 32GUU

## DOUBLE - WIDE STYLE

**BLOCK TYPE - High Load**  
FLOATING LOAD PLATE TYPE

HIGH - LOAD TYPE				
NOM. DIA.	NB	THOMSON	STAR	I N A
1/4	TWA 4WUU	TWN-4	1760-704-00	KTNZ 04 PP
3/8	TWA 6WUU	TWN-6	1760-706-00	KTNZ 06 PP
1/2	TWA 8WUU	TWN-8	1760-708-00	KTNZ 08 PP
5/8	TWA 10WUU	TWN-10	1760-710-00	KTNZ 10 PP
3/4	TWA 12WUU	TWN-12	1760-712-00	KTNZ 12 PP
1	TWA 16WUU	TWN-16	1760-716-00	KTNZ 16 PP
1-1/4	TWA 20WUU	TWN-20	1760-720-00	KTNZ 20 PP
1-1/2	TWA 24WUU	TWN-24	1760-724-00	KTNZ 24 PP

## SINGLE - WIDE STYLES

**ADJUSTABLE TYPE - High Load**  
FLOATING LOAD PLATE TYPE

SELF-ALIGNING TYPE				
NOM. DIA.	NB	THOMSON	STAR	I N A
1/4	TWJ 4UU	SPB-4-ADJ	1756-704-00	KGNZ 04 ADJ PP
3/8	TWJ 6UU	SPB-6-ADJ	1756-706-00	KGNZ 06 ADJ PP
1/2	TWJ 8UU	SPB-8-ADJ	1756-708-00	KGNZ 08 ADJ PP
5/8	TWJ 10UU	SPB-10-ADJ	1756-710-00	KGNZ 10 ADJ PP
3/4	TWJ 12UU	SPB-12-ADJ	1756-712-00	KGNZ 12 ADJ PP
1	TWJ 16UU	SPB-16-ADJ	1756-716-00	KGNZ 16 ADJ PP
1-1/4	TWJ 20UU	SPB-20-ADJ	1756-720-00	KGNZ 20 ADJ PP
1-1/2	TWJ 24UU	SPB-24-ADJ	1756-724-00	KGNZ 24 ADJ PP
2	TWJ 32UU	SPB-32-ADJ	1756-732-00	KGNZ 32 ADJ PP

**ADJUSTABLE TYPE - Normal Load**  
SOLID OUTER RING TYPES

NB		
SELF-ALIGNING	FIXED - ALIGNMENT	
SWJ 4GRUU		SWJ 4GUU
SWJ 6GRUU		SWJ 6GUU
SWJ 8GRUU	SWJ 8UU	SWJ 8GUU
SWJ 10GRUU	SWJ 10UU	SWJ 10GUU
SWJ 12GRUU	SWJ 12UU	SWJ 12GUU
SWJ 16GRUU	SWJ 16UU	SWJ 16GUU
SWJ 20GRUU	SWJ 20UU	SWJ 20GUU
SWJ 24GRUU	SWJ 24UU	SWJ 24GUU
SWJ 32GRUU	SWJ 32UU	SWJ 32GUU

## DOUBLE - WIDE STYLE

**ADJUSTABLE TYPE - High Load**  
FLOATING LOAD PLATE TYPE

HIGH - LOAD TYPE				
NOM. DIA.	NB	THOMSON	STAR	I N A
1/4	TWJ 4WUU	TWN-4-ADJ	1762-704-00	KTNZ 04 ADJ PP
3/8	TWJ 6WUU	TWN-6-ADJ	1762-706-00	KTNZ 06 ADJ PP
1/2	TWJ 8WUU	TWN-8-ADJ	1762-708-00	KTNZ 08 ADJ PP
5/8	TWJ 10WUU	TWN-10-ADJ	1762-710-00	KTNZ 10 ADJ PP
3/4	TWJ 12WUU	TWN-12-ADJ	1762-712-00	KTNZ 12 ADJ PP
1	TWJ 16WUU	TWN-16-ADJ	1762-716-00	KTNZ 16 ADJ PP
1-1/4	TWJ 20WUU	TWN-20-ADJ	1762-720-00	KTNZ 20 ADJ PP
1-1/2	TWJ 24WUU	TWN-24-ADJ	1762-724-00	KTNZ 24 ADJ PP

# SLIDE UNIT ( INCH DIMENSION )

## SINGLE - WIDE STYLES

### OPEN TYPE - High Load FLOATING LOAD PLATE TYPE

SELF-ALIGNING TYPE				
NOM. DIA.	NB	THOMSON	STAR	I N A
1/2	TWD 8UU	SPB-08-OPN	1757-708-00	KGNZ 08 OP PP
5/8	TWD 10UU	SPB-10-OPN	1757-710-00	KGNZ 10 OP PP
3/4	TWD 12UU	SPB-12-OPN	1757-712-00	KGNZ 12 OP PP
1	TWD 16UU	SPB-16-OPN	1757-716-00	KGNZ 16 OP PP
1-1/4	TWD 20UU	SPB-20-OPN	1757-720-00	KGNZ 20 OP PP
1-1/2	TWD 24UU	SPB-24-OPN	1757-724-00	KGNZ 24 OP PP
2	TWD 32UU	SPB-32-OPN	1757-732-00	KGNZ 32 OP PP

### OPEN TYPE - Normal Load SOLID OUTER RING TYPES

NB		
SELF-ALIGNING	FIXED - ALIGNMENT	
SWD 8GRUU	SWD 8UU	SWD 8GUU
SWD 10GRUU	SWD 10UU	SWD 10GUU
SWD 12GRUU	SWD 12UU	SWD 12GUU
SWD 16GRUU	SWD 16UU	SWD 16GUU
SWD 20GRUU	SWD 20UU	SWD 20GUU
SWD 24GRUU	SWD 24UU	SWD 24GUU
SWD 32GRUU	SWD 32UU	SWD 32GUU

## DOUBLE - WIDE STYLE

### OPEN TYPE - High Load FLOATING LOAD PLATE TYPE

HIGH - LOAD TYPE				
NOM. DIA.	NB	THOMSON	STAR	I N A
1/2	TWD 8WUU	TWN-8-OPN	1763-708-00	KTNZ 08 OP PP
5/8	TWD 10WUU	TWN-10-OPN	1763-710-00	KTNZ 10 OP PP
3/4	TWD 12WUU	TWN-12-OPN	1763-712-00	KTNZ 12 OP PP
1	TWD 16WUU	TWN-16-OPN	1763-716-00	KTNZ 16 OP PP
1-1/4	TWD 20WUU	TWN-20-OPN	1763-720-00	KTNZ 20 OP PP
1-1/2	TWD 24WUU	TWN-24-OPN	1763-724-00	KTNZ 24 OP PP

### SHAFT SUPPORT RAIL

#### WITH Pre-drilled Mounting Holes

NOM. DIA.	NB	THOMSON	STAR	I N A
1/2	WA 8-24PD	SR 8-PD	1767-108-00	TSWZ 08PD
5/8	WA 10-24PD	SR 10-PD	1767-110-00	TSWZ 10PD
3/4	WA 12-24PD	SR 12-PD	1767-112-00	TSWZ 12PD
1	WA 16-24PD	SR 16-PD	1767-116-00	TSWZ 16PD
1-1/4	WA 20-24PD	SR 20-PD	1767-120-00	TSWZ 20PD
1-1/2	WA 24-24PD	SR 24-PD	1767-124-00	TSWZ 24PD
2	WA 32-24PD	SR 32-PD	1767-132-00	TSWZ 32PD

### LOW SHAFT SUPPORT RAIL

#### WITH Pre-drilled Mounting Holes

NB	THOMSON	I N A
LWA 8-48PD	LSR 8-PD	TSUZ 08PD
LWA 10-48PD	LSR 10-PD	TSUZ 10PD
LWA 12-48PD	LSR 12-PD	TSUZ 12PD
LWA 16-48PD	LSR 16-PD	TSUZ 16PD
LWA 20-48PD	LSR 20-PD	TSUZ 20PD
LWA 24-48PD	LSR 24-PD	TSUZ 24PD
LWA 32-48PD	LSR 32-PD	TSUZ 32PD

### SHAFT SUPPORT RAIL

#### WITHOUT Pre-drilled Mounting Holes

NOM. DIA.	NB	THOMSON	STAR	I N A
1/2	WA 8-24	SR 8	1767-008-00	TSWZ 08
5/8	WA 10-24	SR 10	1767-010-00	TSWZ 10
3/4	WA 12-24	SR 12	1767-012-00	TSWZ 12
1	WA 16-24	SR 16	1767-016-00	TSWZ 16
1-1/4	WA 20-24	SR 20	1767-020-00	TSWZ 20
1-1/2	WA 24-24	SR 24	1767-024-00	TSWZ 24
2	WA 32-24	SR 32	1767-032-00	TSWZ 32

### LOW SHAFT SUPPORT RAIL

#### WITHOUT Pre-drilled Mounting Holes

NB	THOMSON	I N A
LWA 8-48	LSR 8	TSUZ 08
LWA 10-48	LSR 10	TSUZ 10
LWA 12-48	LSR 12	TSUZ 12
LWA 16-48	LSR 16	TSUZ 16
LWA 20-48	LSR 20	TSUZ 20
LWA 24-48	LSR 24	TSUZ 24
LWA 32-48	LSR 32	TSUZ 32

### SHAFT END SUPPORT

NOM. DIA.	NB	THOMSON	STAR	I N A
1/4	WH 4A	SB-4		
3/8	WH 6A	SB-6		
1/2	WH 8A	SB-8	1759-108-00	GWZ 08
5/8	WH 10A	SB-10	1759-110-00	GWZ 10
3/4	WH 12A	SB-12	1759-112-00	GWZ 12
1	WH 16A	SB-16	1759-116-00	GWZ 16
1-1/4	WH 20A	SB-20	1759-120-00	GWZ 20
1-1/2	WH 24A	SB-24	1759-124-00	GWZ 24
2	WH 32A	SB-32	1759-132-00	GWZ 32

### SHAFT / RAIL ASSEMBLIES

NB	THOMSON
WSS 8	SRA-8
WSS 10	SRA-10
WSS 12	SRA-12
WSS 16	SRA-16
WSS 20	SRA-20
WSS 24	SRA-24
WSS 32	SRA-32

For **NB** component interchange to Thomson's system assemblies (Group 1 types only) such as part number prefixes "1AA-", "1AB-", "1BA-", "1BB-", "1CA-" and "1CB-", please contact **NB**.

# SLIDE UNIT ( METRIC DIMENSION )

## BLOCK TYPE ( Single-Wide )

NOM. DIA.	NB	THK	TSK	ASK	OZAK
3	SMA 3G				
4	SMA 4G				
5	SMA 5G				
6	SMA 6GUU	SC 6UU	TBC-6UU		
8	SMA 8GUU	SC 8UU	TBC-8UU		
10	SMA 10GUU	SC 10UU	TBC-10UU		LH10B
12	SMA 12GUU	SC 12UU	TBC-12UU	LC-12VAUU	LH12B
13	SMA 13GUU	SC 13UU	TBC-13UU	LC-13VAUU	LH13B
16	SMA 16GUU	SC 16UU	TBC-16UU	LC-16VAUU	LH16B
20	SMA 20GUU	SC 20UU	TBC-20UU	LC-20VAUU	LH20B
25	SMA 25GUU	SC 25UU	TBC-25UU	LC-25VAUU	LH25B
30	SMA 30GUU	SC 30UU	TBC-30UU	LC-30VAUU	LH30B
35	SMA 35GUU	SC 35UU	TBC-35UU		LH35B
40	SMA 40GUU	SC 40UU	TBC-40UU		LH40B
50	SMA 50GUU	SC 50UU	TBC-50UU		LH50B
60	SMA 60GUU				LH60B

Stainless Steel Type Slide Bushings are also available. For details, please call **NB**.

## BLOCK TYPE ( Double-Wide )

NOM. DIA.	NB	THK	TSK	ASK	OZAK
3	SMA 3GW				
4	SMA 4GW				
5	SMA 5GW				
6	SMA 6GWUU	SL 6UU	TBCW-6UU		
8	SMA 8GWUU	SL 8UU	TBCW-8UU		
10	SMA 10GWUU	SL 10UU	TBCW-10UU		LHW10B
12	SMA 12GWUU	SL 12UU	TBCW-12UU	LC-12VLUU	LHW12B
13	SMA 13GWUU	SL 13UU	TBCW-13UU	LC-13VLUU	LHW13B
16	SMA 16GWUU	SL 16UU	TBCW-16UU	LC-16VLUU	LHW16B
20	SMA 20GWUU	SL 20UU	TBCW-20UU	LC-20VLUU	LHW20B
25	SMA 25GWUU	SL 25UU	TBCW-25UU	LC-25VLUU	LHW25B
30	SMA 30GWUU	SL 30UU	TBCW-30UU	LC-30VLUU	LHW30B
35	SMA 35GWUU		TBCW-35UU		LHW35B
40	SMA 40GWUU		TBCW-40UU		LHW40B
50	SMA 50GWUU		TBCW-50UU		LHW50B
60	SMA 60GWUU				LHW60B

Stainless Steel Type Slide Bushings are also available. For details, please call **NB**.

## ADJUSTABLE AND OPEN TYPES ( Single-Wide )

NOM. DIA.	ADJUSTABLE	NB	
		OPEN TYPES	
		ADJUSTABLE	NON-ADJUSTABLE
3			
4			
5			
6			
8			
10	SMJ 10GUU	SMD 10GUU	SME 10GUU
12	SMJ 12GUU	SMD 12GUU	SME 12GUU
13	SMJ 13GUU	SMD 13GUU	SME 13GUU
16	SMJ 16GUU	SMD 16GUU	SME 16GUU
20	SMJ 20GUU	SMD 20GUU	SME 20GUU
25	SMJ 25GUU	SMD 25GUU	SME 25GUU
30	SMJ 30GUU	SMD 30GUU	SME 30GUU
35	SMJ 35GUU	SMD 35GUU	SME 35GUU
40	SMJ 40GUU	SMD 40GUU	SME 40GUU
50	SMJ 50GUU	SMD 50GUU	SME 50GUU
60	SMJ 60GUU	SMD 60GUU	

Stainless Steel Type Slide Bushings are also available. For details, please call **NB**.

## OPEN TYPE ( Double-Wide )

NOM. DIA.	NB
3	
4	
5	
6	
8	
10	SME 10GWUU
12	SME 12GWUU
13	SME 13GWUU
16	SME 16GWUU
20	SME 20GWUU
25	SME 25GWUU
30	SME 30GWUU
35	
40	
50	
60	

# SLIDE UNIT

## ( EURO METRIC DIMENSION )

### BLOCK TYPE

NOM. DIA.	NB	STAR	INA	THOMSON
12	TKA 12UU	1035-612-00	KGN 12 BPP AS	SP PB M12
16	TKA 16UU	1035-616-00	KGN 16 BPP AS	SSE PB M16 DD
20	TKA 20UU	1035-620-00	KGN 20 BPP AS	SSE PB M20 DD
25	TKA 25UU	1035-625-00	KGN 25 BPP AS	SSE PB M25 DD
30	TKA 30UU	1035-630-00	KGN 30 BPP AS	SSE PB M30 DD
40	TKA 40UU	1035-640-00	KGN 40 BPP AS	SSE PB M40 DD

### BLOCK TYPE ( Double-Wide )

NOM. DIA.	NB	STAR ( 1 )	INA	THOMSON
12	TKA 12WUU	1085-812-00	KTN 12 BPP AS	SP TWN M12
16	TKA 16WUU	1085-816-00	KTN 16 BPP AS	SSE TWN M16 DD
20	TKA 20WUU	1085-820-00	KTN 20 BPP AS	SSE TWN M20 DD
25	TKA 25WUU	1085-825-00	KTN 25 BPP AS	SSE TWN M25 DD
30	TKA 30WUU	1085-830-00	KTN 30 BPP AS	SSE TWN M30 DD
40	TKA 40WUU	1085-840-00	-	SSE TWN M40 DD

( 1 ) Mounting hole locations differ. Please consult catalog for specifics.

### OPEN TYPE with CLEARANCE ADJUSTMENT

NOM. DIA.	NB	STAR	INA	THOMSON
12	TKD 12UU	1038-612-00	KGNOS 12 PP AS	SP PBOA M12
16	TKD 16UU	1038-616-00	KGNOS 16 PP AS	SSE PBOA M16 DD
20	TKD 20UU	1038-620-00	KGNOS 20 PP AS	SSE PBOA M20 DD
25	TKD 25UU	1038-625-00	KGNOS 25 PP AS	SSE PBOA M25 DD
30	TKD 30UU	1038-630-00	KGNOS 30 PP AS	SSE PBOA M30 DD
40	TKD 40UU	1038-640-00	KGNOS 40 PP AS	SSE PBOA M40 DD

### OPEN TYPE with CLEARANCE ADJUSTMENT ( Double-Wide )

NOM. DIA.	NB	STAR	INA	THOMSON
12	TKD 12WUU	1034-612-00	KTNOS 12 PP AS	SP TWNOA M12
16	TKD 16WUU	1034-616-00	KTNOS 16 PP AS	SSE TWNOA M16 DD
20	TKD 20WUU	1034-620-00	KTNOS 20 PP AS	SSE TWNOA M20 DD
25	TKD 25WUU	1034-625-00	KTNOS 25 PP AS	SSE TWNOA M25 DD
30	TKD 30WUU	1034-630-00	KTNOS 30 PP AS	SSE TWNOA M30 DD
40	TKD 40WUU	1034-640-00	-	SSE TWNOA M40 DD

### OPEN TYPE without CLEARANCE ADJUSTMENT

NOM. DIA.	NB	STAR	INA	THOMSON
12	TKE 12UU	1037-612-00	KGNO 12 PP AS	SP PBO M12
16	TKE 16UU	1037-616-00	KGNO 16 PP AS	SSE PBO M16 DD
20	TKE 20UU	1037-620-00	KGNO 20 PP AS	SSE PBO M20 DD
25	TKE 25UU	1037-625-00	KGNO 25 PP AS	SSE PBO M25 DD
30	TKE 30UU	1037-630-00	KGNO 30 PP AS	SSE PBO M30 DD
40	TKE 40UU	1037-640-00	KGNO 40 PP AS	SSE PBO M40 DD

### OPEN TYPE without CLEARANCE ADJUSTMENT ( Double-Wide )

NOM. DIA.	NB	STAR ( 1 )	INA	THOMSON
12	TKE 12WUU	1087-812-00	KTNO 12 PP AS	SP TWNO M12
16	TKE 16WUU	1087-816-00	KTNO 16 PP AS	SSE TWNO M16 DD
20	TKE 20WUU	1087-820-00	KTNO 20 PP AS	SSE TWNO M20 DD
25	TKE 25WUU	1087-825-00	KTNO 25 PP AS	SSE TWNO M25 DD
30	TKE 30WUU	1087-830-00	KTNO 30 PP AS	SSE TWNO M30 DD
40	TKE 40WUU	1087-840-00	-	SSE TWNO M40 DD

( 1 ) Mounting hole locations differ. Please consult catalog for specifics.



# SLIDE UNIT

## ( METRIC DIMENSION )

### COMPACT BLOCK TYPE ( Single-Wide )

NOM. DIA.	NB	THK	TSK
6	AK 6GUU	SH 6UU	TBH-6UU
8	AK 8GUU	SH 8UU	TBH-8UU
10	AK 10GUU	SH 10UU	TBH-10UU
12	AK 12GUU	SH 12UU	TBH-12UU
13	AK 13GUU	SH 13UU	TBH-13UU
16	AK 16GUU	SH 16UU	TBH-16UU
20	AK 20GUU	SH 20UU	TBH-20UU
25	AK 25GUU	SH 25UU	TBH-25UU
30	AK 30GUU	SH 30UU	TBH-30UU

Stainless Steel Type Slide Bushings are also available. For details, please call **NB**.

### COMPACT BLOCK TYPE ( Double-Wide )

NOM. DIA.	NB	THK	TSK
6	AK 6GWUU	SH 6LUU	TBHW-6UU
8	AK 8GWUU	SH 8LUU	TBHW-8UU
10	AK 10GWUU	SH 10LUU	TBHW-10UU
12	AK 12GWUU	SH 12LUU	TBHW-12UU
13	AK 13GWUU	SH 13LUU	TBHW-13UU
16	AK 16GWUU	SH 16LUU	TBHW-16UU
20	AK 20GWUU	SH 20LUU	TBHW-20UU
25	AK 25GWUU	SH 25LUU	TBHW-25UU
30	AK 30GWUU	SH 30LUU	TBHW-30UU

### SHAFT END SUPPORT ( METRIC DIMENSION )

#### SH-A Type

NOM. DIA.	NB	THK	OZAK
8	SH 8A		
10	SH 10A	SK 10	SBA10
12	SH 12A	SK 12	SBA12
13	SH 13A	SK 13	SBA13
16	SH 16A	SK 16	SBA16
20	SH 20A	SK 20	SBA20
25	SH 25A	SK 25	SBA25
30	SH 30A	SK 30	SBA30
35	SH 35A	SK 35	
40	SH 40A	SK 40	
50	SH 50A		
60	SH 60A		

# MINIATURE SLIDE GUIDE

## STANDARD TYPE

### "SEB" ( Ball Type )

(For Normal Loads)

Dimension in MM		NB				THK	IKO	NSK	
Assembly Height	Rail Width	Part Series	Non-Retained	Retained	Metallic Block				
3.2	2	SEBS 2A	1				LWL 2---/N		
		SEBS 2AUU	1				LWL 2		
4	3	SEBS 3A	1			RSR 3M	LWLC 3---/N		
		SEBS 3AUU	1			RSR 3MUU	LWLC 3		
		SEBS 3AY	1			RSR 3N	LWL 3---/N		
		SEBS 3AYUU	1			RSR 3NUU	LWL 3		
6	5	SEBS 5A	1			RSR 5 M			
		SEBS 5AUU	1			RSR 5 MUU		LU 05TL---K	
		SEBS 5AY	1			RSR 5 N	LWL 5---/N		
		SEBS 5AYUU	1			RSR 5 NUU	LWL 5		
		SEBS 5B		1			LWLC 5---B/N		
		SEBS 5BUU		1			LWLC 5---B		
		SEBS 5BY		1			LWL 5---B/N		
		SEBS 5BYUU		1			LWL 5---B		
		SEBS 5BM			1	1			
		SEBS 5BMUU			1	1			
		SEBS 5BYM			1	1			
		SEBS 5BYMUU			1	1			
8	7	SEBS 7A	1			RSR 7M or RSR 7ZM	LWL 7---/N	LU 07AL---K	
		SEBS 7AUU	1			RSR 7MUU or RSR 7ZMUU	LWL 7		
		SEBS 7AY	1			RSR 7N			
		SEBS 7AYUU	1			RSR 7NUU			
		SEBS 7B		1		RSH 7M or RSH 7ZM	LWL 7---B/N		
		SEBS 7BUU		1		RSH 7MUU or RSH 7ZMUU	LWL 7---B		
		SEBS 7BY		1					
		SEBS 7BYUU		1					
		SEBS 7BM			1	1			
		SEBS 7BMUU			1	1			
		SEBS 7BYM			1	1			
		SEBS 7BYMUU			1	1			
10	9	SEB 9A	1						
		SEB 9AUU	1						
		SEB 9AY	1						
		SEB 9AYUU	1						
		SEBS 9A	1			RSR 9KM or RSR 9ZM		LU 09TL---K	
		SEBS 9AUU	1			RSR 9KMUU or RSR 9ZMUU			
		SEBS 9AY	1			RSR 9N		LU 09UL---K	
		SEBS 9AYUU	1			RSR 9NUU			
		SEBS 9B		1		RSH 9KM or RSH 9ZM	LWL 9---B/N	LU 09TR---K	
		SEBS 9BUU		1		RSH 9KMUU or RSH 9ZMUU	LWL 9---B		
		SEBS 9BY		1					
		SEBS 9BYUU		1					
		SEBS 9BM			1	1			
		SEBS 9BMUU			1	1			
SEBS 9BYM			1	1					
SEBS 9BYMUU			1	1					
13	12	SEB 12A	1				LWL12---CS/N		
		SEB 12AUU	1				LWL12---CS	LU 12TL---C	
		SEB 12AY	1						
		SEB 12AYUU	1					LU 12UL---C	
		SEBS 12A	1			RSR 12VM or RSR 12ZM			
		SEBS 12AUU	1			RSR 12VMUU or RSR 12ZMUU		LU 12TL---K	
		SEBS 12AY	1			RSR 12N			
		SEBS 12AYUU	1			RSR 12NUU		LU 12UL---K	
		SEBS 12B		1		RSH 12VM or RSH 12ZM	LWL 12---B/N		
		SEBS 12BUU		1		RSH 12VMUU or RSH 12ZMUU	LWL 12---B	LU 12TR---K	
		SEBS 12BY		1			LWLG 12---B/N		
		SEBS 12BYUU		1			LWLG 12---B		
		SEBS 12BM			1	1			
		SEBS 12BMUU			1	1			
		SEBS 12BYM			1	1			
		SEBS 12BYMUU			1	1			

### "SER" ( Roller Type )

(For High Rigidity and Heavy Loads)

NB
SER 9A
SER 9AUU
SERS 9A
SERS 9AUU
SER 12A
SER 12AUU
SERS 12A
SERS 12AUU

**Note:** NB catalog confirms that envelope dimensions "H", "W", and "B" are the same as the other manufacturers, however, there may be other slight dimensional difference between manufacturers. Please consult catalog for details.  
For symbols such Grade, Pre-Load and Special Lubricants, please call NB.

# MINIATURE SLIDE GUIDE

## STANDARD TYPE

### "SEB" ( Ball Type )

(For Normal Loads)

### "SER" ( Roller Type )

(For High Rigidity and Heavy Loads)

Dimension in MM		NB				THK	IKO	NSK	NB
Assembly Height	Rail Width	Part Series	Non-Retained	Retained	Metallic Block				
16	15	SEB 15A	1				LWL 15---CS/N		SER 15A
		SEB 15AUU	1					LWL 15---CS	LU 15AL---C
		SEB 15AY	1						
		SEB 15AYUU	1						LU15BL---C
		SEBS 15A	1				RSR 15VM or RSR 15ZM	LWL 15---/N	
		SEBS 15AUU	1				RSR 15VMUU or RSR 15ZM	LWL 15	LU 15AL---K
		SEBS 15AY	1				RSR 15N		
		SEBS 15AYUU	1				RSR 15NUU		LU 15BL---K
		SEBS 15B		1			RSH 15ZM	LWL 15---B/N	
		SEBS 15BUU		1			RSH 15ZMUU	LWL 15---B	LAU 15AL---K
		SEBS 15BY		1				LWLG 15---B/N	
		SEBS 15BYUU		1				LWLG 15---B	
		SEBS 15BM		1	1				
		SEBS 15BMUU		1	1				
		SEBS 15BYM		1	1				
		SEBS 15BYMUU		1	1				
25	20	SEB 20A	1						SER 20A
		SEB 20AUU	1						SER 20AUU
		SEB 20AY	1						
		SEB 20AYUU	1						
		SEBS 20A	1				RSR 20VM		SERS 20A
		SEBS 20AUU	1				RSR 20VMUU		SERS 20AUU
		SEBS 20AY	1				RSR 20N		
		SEBS 20AYUU	1				RSR 20NUU		
		SEBS 20B		1					
		SEBS 20BUU		1					
		SEBS 20BY		1					
		SEBS 20BYUU		1					
		SEBS 20BM		1	1				
		SEBS 20BMUU		1	1				
		SEBS 20BYM		1	1				
		SEBS 20BYMUU		1	1				

**Note:** NB catalog confirms that envelope dimensions "H", "W", and "B" are the same as the other manufacturers, however, there may be other slight dimensional difference between manufacturers. Please consult catalog for details.

For symbols such Grade, Pre-Load and Special Lubricants, please call NB.

# MINIATURE SLIDE GUIDE

## EXTRA WIDE TYPE

### "SEB-W" ( Ball Type )

(For High Rigidity and Normal Loads)

### "SER -W" ( Roller Type )

(For High Rigidity and Heavy Loads)

Dimension in MM		NB				THK	IKO	NSK	NB
Assembly Height	Rail Width	Part Series	Non-Retained	Retained	Metallic Block				
4.5	6	SEBS 3WA	1			RSR 3WM			
		SEBS 3WAUU	1			RSR 3WMUU			
		SEBS 3WAY	1			RSR 3WN			
		SEBS 3WAYUU	1			RSR 3WNUU			
6.5	10	SEBS 5WB		1					
		SEBS 5WBuu		1					
		SEBS 5WBBy		1					
		SEBS 5WBByuu		1					
9	14	SEBS 7WA	1			RSR 7WM			
		SEBS 7WAUU	1			RSR 7WMUU			
		SEBS 7WAY	1						
		SEBS 7WAYUU	1					LE 07 UL---K	
		SEBS 7WD	1			RSR 7WZM	LWLF 14---/N		
		SEBS 7WDUU	1			RSR 7WZMUU	LWLF 14	LE 07 TL---K	
		SEBS 7WB		1		RSH 7WZM	LWLF 14---B/N		
		SEBS 7WBuu		1		RSH 7WZMUU	LWLF 14---B		
		SEBS 7WBBy		1			LWLFG 14---B/N		
SEBS 7WBByuu		1			LWLFG 14---B				
12	18	SEB 9WA	1			RSR 9WV			
		SEB 9WAUU	1			RSR 9WVUU		LE 09 AL---C	SER 9WA SER 9WAUU
		SEB 9WAY	1			RSR 9WN			
		SEB 9WAYUU	1			RSR 9WNuu		LE 09 UL---C	
		SEB 9WD	1				LWLF 18---CS/N		
		SEB 9WDUU	1				LWLF 18---CS	LE 09 TL---C	
		SEBS 9WA	1			RSR 9WVM	LWLF 18---/N		SERS 9WA
		SEBS 9WAUU	1			RSR 9WVMUU	LWLF 18	LE 09 AL---K	SERS 9WAUU
		SEBS 9WAY	1						
		SEBS 9WAYUU	1					LE 09 UL---K	
		SEBS 9WD	1			RSR 9WZM			
		SEBS 9WDUU	1			RSR 9WZMUU		LE 09 TL---K	
		SEBS 9WB		1		RSH 9WZM	LWLF 18---B/N		
		SEBS 9WBuu		1		RSH 9WZMUU	LWLF 18---B	LE 09 TR---C	
SEBS 9WBBy		1			LWLFG 18---B/N				
SEBS 9WBByuu		1			LWLFG 18---B				
14	24	SEB 12WA	1			RSR 12WV	LWLF 24---CS/N		SER 12WA
		SEB 12WAUU	1			RSR 12WVUU	LWLF 24---CS	LE 12 AL---C	SER 12WAUU
		SEB 12WAY	1			RSR 12WN			
		SEB 12WAYUU	1			RSR 12WNuu		LE 12 BL---C	
		SEBS 12WA	1			RSR 12WVM	LWLF 24---/N		SERS 12WA
		SEBS 12WAUU	1			RSR 12WVMUU	LWLF 24	LE 12 AL---K	SERS 12WAUU
		SEBS 12WAY	1						
		SEBS 12WAYUU	1					LE 12 BL---K	
		SEBS 12WB		1		RSH 12WZM	LWLF 24---B/N		
		SEBS 12WBuu		1		RSH 12WZMUU	LWLF 24---B	LE 12 AR---K	
		SEBS 12WBBy		1			LWLFG 24---B /N		
		SEBS 12WBByuu		1			LWLFG 24---B		
16	42	SEB 15WA	1			RSR 15WV	LWLF 42---CS/N		SER 15WA
		SEB 15WAUU	1			RSR 15WVUU	LWLF 42---CS	LE 15 AL---C	SER 15WAUU
		SEB 15WAY	1			RSR 15WN			
		SEB 15WAYUU	1			RSR 15WNuu		LE 15 BL---C	
		SEBS 15WA	1			RSR 15WVM	LWLF 42---/N		SERS 15WA
		SEBS 15WAUU	1			RSR 15WVMUU	LWLF 42	LE 15 AL---K	SERS 15WAUU
		SEBS 15WAY	1						
		SEBS 15WAYUU	1					LE 15 BL---K	
		SEBS 15WB		1		RSH 15WZM	LWLF 42---B /N		
		SEBS 15WBuu		1		RSH 15WZMUU	LWLF 42---B	LE 15 AR---K	
SEBS 15WBBy		1			LWLFG 42---B /N				
SEBS 15WBByuu		1			LWLFG 42---B				

**Note:** NB catalog confirms that envelope dimensions "H", "W", and "B" are the same as the other manufacturers, however, there may be other slight dimensional difference between manufacturers. Please consult catalog for details.

For symbols such Grade, Pre-Load and Special Lubricants, please call NB.

# SLIDE GUIDE

## "SGL" TYPES

### "E" and "EB" Flanged Types for Medium Loads

Assembly Height	NB		THK	IKO	NSK
	Standard Type	Low Noise Type			
15 mm	SGL 15E	GL 15E	SR 15SB	LWEC 15 or MEC 15	
	SGL 15EB	GL 15EB	SR 15SB SS	LWEC 15/U or MEC 15	LS 15 KL---C or SS 15KL---C
	SGL 15E-D	GL 15E-D		MEC 15/M4	
	SGL 15EB-D	GL 15EB-D		MEC 15/U M4	LS 15 KL---T C or SS 15KL---T C
20 mm	SGL 20E	GL 20E	SR 20SB	LWEC 20 or MEC 20	
	SGL 20EB	GL 20EB	SR 20SB SS	LWEC 20/U or MEC 20/ U	LS 20 KL---C or SS KL---C
25 mm	SGL 25E	GL 25E	SR 25SBY	LWEC 25 or MEC 25	
	SGL 25EB	GL 25EB	SR 25SBY SS	LWEC 25/U or MEC 25/ U	LS 25 KL---C or SS 25KL---C
30 mm	SGL 30E	GL 30E	SR 30SB	LWEC 30	
	SGL 30EB	GL 30EB	SR 30SB SS	LWEC 30/U	LS 30 KL---C or SS 30 KL---C
35 mm	SGL 35E	GL 35E	SR 35SB	LWEC 35	
	SGL 35EB	GL 35EB	SR 35SB SS	LWEC 35/U	LS 35 KL---C or SS 35 KL---C

### "TE" and "TEB" Flanged Types for Heavy Loads

Assembly Height	NB		THK	IKO	NSK
	Standard Type	Low Noise Type			
15 mm	SGL 15TE	GL 15TE	SR 15TB	LWE 15 or ME 15 or LWE 15Q	
	SGL 15TEB	GL 15TEB	SR 15TB SS	LWE 15/U or ME 15/U or LWE 15Q/U	LS 15 FL---C or SS 15FL---C
	SGL 15TE-D	GL 15TE-D	SSR 15XTBY	ME 15/M4	
	SGL 15TEB-D	GL 15TEB-D	SSR 15XTBY SS	ME 15/U M4	LS 15 FL---T C or SS15FL---T C
20 mm	SGL 20TE	GL 20TE	SR 20TB or SSR 20XTB	LWE 20 or ME 20 or LWE 20Q	
	SGL 20TEB	GL 20TEB	SR 20TB SS or SSR20XTB SS	LWE 20/U or ME 20/U or LWE 20Q/U	LS 20 FL---C or SS 20 FL---C
25 mm	SGL 25TE	GL 25TE	SR 25TBY or SSR 25XTBY	LWE 25 or ME 25 or LWE 25Q	
	SGL 25TEB	GL 25TEB	SR 25TBY SS or SSR25XTBY SS	LWE 25/U or ME 25/U or LWE 25Q/U	LS 25 FL---C or SS 20 FL---C
30 mm	SGL 30TE	GL 30TE	SR 30TB	LWE 30 or LWE 30Q	
	SGL 30TEB	GL 30TEB	SR 30TB SS	LWE 30/U or LWE 30Q/U	LS 30 FL---C or SS 30 FL---C
35 mm	SGL 35TE	GL 35TE	SR 35TB	LWE 35 or LWE 35Q	
	SGL 35TEB	GL 35TEB	SR 35TB SS	LWE 35/U or LWE 35Q/U	LS 35 FL---C or SS 30 FL---C

### "F" and "FB" Non-Flanged Types for Medium Loads

Assembly Height	NB		THK	IKO	NSK
	Standard Type	Low Noise Type			
15 mm	SGL 15F	GL 15F	SR 15V	LWESC 15 or MESC 15	
	SGL 15FB	GL 15FB	SR 15V SS	LWESC 15/U or MESC 15/U	LS 15 CL---C or SS 15 CL---C
	SGL 15F-D	GL 15F-D	SSR 15XVY	MESC 15/M4	
	SGL 15FB-D	GL 15FB-D	SSR 15XVY SS	MESC 15/U M4	LS 15 L---T C or SS 15 CL-T -C
20 mm	SGL 20F	GL 20F	SR 20V or SSR 20XV	LWESC 20 or MESC 20	
	SGL 20FB	GL 20FB	SR 20V SS or SSR 20XV SS	LWESC 20/U or MESC 20/U	LS 20 CL---C or SS 20 CL---C
25 mm	SGL 25F	GL 25F	SR 25VY or SSR 25XVY	LWESC 25 or MESC 25	
	SGL 25FB	GL 25FB	SR 25VY SS or SSR25XVY SS	LWESC 25/U or MESC 25/U	LS 25 CL---C or SS 25 CL---C
30 mm	SGL 30F	GL 30F	SR 30V	LWESC 30	
	SGL 30FB	GL 30FB	SR 30V SS	LWESC 30/U	LS 30 CL---C or SS 30 CL---C
35 mm	SGL 35F	GL 35F	SR 35V	LWESC 35	
	SGL 35FB	GL 35FB	SR 35V SS	LWESC 35/U	LS 35 CL---C or SS 35 CL---C

### "TF" and "TFB" Non-Flanged Types for Heavy Loads

Assembly Height	NB		THK	IKO	NSK
	Standard Type	Low Noise Type			
15 mm	SGL 15TF	GL 15TF	SR 15W	LWES 15 or MES 15 or LWES 15Q	
	SGL 15TFB	GL 15TFB	SR 15W SS	LWES 15/U or MES 15/U or LWES 15Q/U	LS 15 AL---C or SS 15 AL---C
	SGL 15TF-D	GL 15TF-D	SSR 15XWY	LWHS 15..B or MES 15/M4	
	SGL 15TFB-D	GL 15TFB-D	SSR 15XWY SS	LWHS 15..B/U or MES 15/U M4	LS 15 AL---T C or SS 15 AL---T C
20 mm	SGL 20TF	GL 20TF	SR 20W or SSR 20XW	LWES 20 or MES 20 or LWES 20Q	
	SGL 20TFB	GL 20TFB	SR 20W SS or SSR 20XW SS	LWES 20 /U or MES 20/U or LWES 20Q/U	LS 20 AL---C or SS 20 AL---C
25 mm	SGL 25TF	GL 25TF	SR 25WY or SSR 25XWY	LWES 25 or MES 25 or LWES 25Q	
	SGL 25TFB	GL 25TFB	SR 25WY SS or SSR 25XWY SS	LWES 25/U or MES 25/U or LWES 25Q/U	LS 25 AL---C or SS 25 AL---C
30 mm	SGL 30TF	GL 30TF	SR 30W or SSR 30XW	LWES 30 or LWES 30Q	
	SGL 30TFB	GL 30TFB	SR 30W SS or SSR 30XW SS	LWES 30/U or LWES 30Q/U	LS 30 AL---C or SS 25 AL---C
35 mm	SGL 35TF	GL 35TF	SR 35W or SSR 35XW	LWES 35 or LWES 35	
	SGL 35TFB	GL 35TFB	SR 35W SS or SSR 35XW SS	LWES 35/U or LWES 35Q/U	LS 35 AL---C or SS 35 AL---C

Note: NB catalog confirms that envelope dimensions "H", "W", and "B" are the same as the other manufacturers, however, there may be other slight dimensional difference between manufacturers. Please consult catalog for details.

For symbols such Grade, Pre-Load and Special Lubricants, please call NB.

# SLIDE GUIDE

## "SGL-H" TYPES

### "HTE" and "HTEB" Flanged Types for Heavy Loads

Assembly Height	NB		THK	IKO	NSK
	Standard Type	Low Noise Type			
15 mm	SGL 15HTE	GL 15HTE	HSR 15 A or BUU, SHS 15CUU	LWH/LWHT 15..B or MH/MHT 15	
	SGL 15HTEB	GL 15HTEB	HSR 15 A or BSS, SHS 15CSS	LWH/LWHT 15..B/U or MH/MHT 15	LH 15 EL/FL-C or SH 15 EL/FL-C
20 mm	SGL 20HTE	GL 20HTE	HSR 20 A or BUU, SHS 20CUU	LWH/LWHT 20..B or MH/MHT 20	
	SGL 20HTEB	GL 20HTEB	HSR 20 A or BSS, SHS 20CSS	LWH/LWHT 20..B/U or MH/MHT 20	LH 20 EL/FL-C or SH 20 EL/FL-C
25 mm	SGL 25HTE	GL 25HTE	HSR 25 A or BUU, SHS 25CUU	LWH/LWHT 25..B or MH/MHT 25	
	SGL 25HTEB	GL 25HTEB	HSR 25 A or BSS, SHS 25CSS	LWH/LWHT 25..B/U or MH/MHT 25	LH 25 EL/FL-C or SH 25 EL/FL-C
30 mm	SGL 30HTE	GL 30HTE	HSR 30 A or BUU, SHS 25CUU	LWH/LEWT 30..B	
	SGL 30HTEB	GL 30HTEB	HSR 30 A or BSS, SHS 25CSS	LWH/LWHT 30..B/U	LH 30 EL/FL-C or SH 30 EL/FL-C
35 mm	SGL 35HTE	GL 35HTE	HSR 35 A or BUU, SHS 35CUU	LWH/LWHT 35..B	
	SGL 35HTEB	GL 35HTEB	HSR 35 A or BSS, SHS 35CSS	LWH/LWHT 35..B/U	LH 35 EL/FL-C or SH 35 EL/FL-C
45 mm	SGL 45HTE	GL 45HTE	HSR 45 A or BUU, SHS 45CUU	LWH/LWHT 45..B	
	SGL 45HTEB	GL 45HTEB	HSR 45 A or BSS, SHS 45CSS	LWH/LWHT 45..B/U	LH 45 EL/FL-C or SH 45 EL/FL-C

### "HTF" and "HTFB" Non-Flanged Types for Heavy Loads

Assembly Height	NB		THK	IKO	NSK
	Standard Type	Low Noise Type			
15 mm	SGL 15HTF	GL 15HTF	HSR 15 RUU, SHS 15RUU	LWHD 15..B	
	SGL 15HTFB	GL 15HTFB	HSR 15 RSS, SHS 15RSS	LWHD 15..B/U	LH 15 AN-C or SH AN-C
20 mm	SGL 20HTF	GL 20HTF	HSR 20 RUU, SHS 20VUU	LWHS 20..B	
	SGL 20HTFB	GL 20HTFB	HSR 20 RSS, SHS 20VSS	LWHS 20..B/U	LH 20 AN-C or SH 20 AN-C
25 mm	SGL 25HTF	GL 25HTF	HSR 25 RUU, SHS 25RUU	LWHD 25..B	
	SGL 25HTFB	GL 25HTFB	HSR 25 RSS, SHS 25RSS	LWHD 25..B/U	LH 25 AN-C or SH 25 AN-C
30 mm	SGL 30HTF	GL 30HTF	HSR 30 RUU, SHS 30RUU	LWHD 30..B	
	SGL 30HTFB	GL 30HTFB	HSR 30 RSS, SHS 30RSS	LWHD 30..B/U	LH 30 AN-C or SH 30 AN-C
35 mm	SGL 35HTF	GL 35HTF	HSR 35 RUU, SHS 35RUU	LWHD 35..B	
	SGL 35HTFB	GL 35HTFB	HSR 35 RSS, SHS 35RSS	LWHD 35..B/U	LH 35 AN-C or SH 35 AN-C
45 mm	SGL 45HTF	GL 45HTF	HSR 45 RUU, SHS 45RUU	LWHD 45..B	
	SGL 45HTFB	GL 45HTFB	HSR 45 RSS, SHS 45RSS	LWHD 45..B/U	LH 45 AN-C or SH 45 AN-C

Note: NB catalog confirms that envelope dimensions "H", "W", and "B" are the same as the other manufacturers, however, there may be other slight dimensional difference between manufacturers. Please consult catalog for details.

For symbols such Grade, Pre-Load and Special Lubricants, please call NB.

## "SGW" TYPES

### Wide and Low Profile ( For High Rigidity and High Moment Loads )

Assembly Height	NB	THK	IKO	NSK
17 mm	SGW 17TE	HRW 17CAUU	LWFF 33	
	SGW 17TEB	HRW 17CASS	LWFF 33/U	LW 17 EL-C
21 mm	SGW 21TE	HRW 21CAUU	LWFF 37	
	SGW 21TEB	HRW 21CASS	LWFF 37/U	LW 21 EL-C
27 mm	SGW 27TE	HRW 27CAUU	LWFF 42	
	SGW 27TEB	HRW 27CASS	SWFF 42/U	LW 27 EL-C
35 mm	SGW 35TE	HRW 35CAUU	LWFF 69	
	SGW 35TEB	HRW 35CASS	LWFF 69/U	LW 35 EL-C

Note: NB catalog confirms that envelope dimensions "H", "W", and "B" are the same as the other manufacturers, however, there may be other slight dimensional difference between manufacturers. Please consult catalog for details.

For symbols such Grade, Pre-Load and Special Lubricants, please call NB.

# SLIDE WAY - "SV" Type

## STANDARD Type

ROLLER DIA.	NB	THK	IKO	SCHNEEBERGER	MICRO SLIDES	MEGATOOL
1.5 mm	SV1020	VR 1-20	CRW 1-20	R 1020	RW059-020	G1-20
	SV1030	VR 1-30	CRW 1-30	R 1030	RW059-030	G1-30
	SV1040	VR 1-40	CRW 1-40	R 1040	RW059-040	G1-40
	SV1050	VR 1-50	CRW 1-50	R 1050	RW059-050	G1-50
	SV1060	VR 1-60	CRW 1-60	R 1060	RW059-050	G1-60
	SV1070	VR 1-70	CRW 1-70	R 1070	RW059-070	G1-70
	SV1080	VR 1-80	CRW 1-80	R 1080	RW059-080	G1-80
2 mm	SV2030	VR 2-30	CRW 2-30	R 2030	RW079-30	G2-20
	SV2045	VR 2-45	CRW 2-45	R 2045	RW079-45	G2-45
	SV2060	VR 2-60	CRW 2-60	R 2060	RW079-60	G2-60
	SV2075	VR 2-75	CRW 2-75	R 2075	RW079-75	G2-75
	SV2090	VR 2-90	CRW 2-90	R 2090	RW079-90	G2-90
	SV2105	VR 2-105	CRW 2-105	R 2105	RW079-105	G2-105
	SV2120	VR 2-120	CRW 2-120	R 2120	RW079-120	G2-120
	SV2135	VR 2-135	CRW 2-135		RW079-135	G2-135
	SV2150	VR 2-150	CRW 2-150	R 2150	RW079-150	G2-150
	SV2165	VR 2-165	CRW 2-165		RW079-165	G2-165
3 mm	SV3050	VR 3-50	CRW 3-50	R 3050	RW118-2	G3-50
	SV3075	VR 3-75	CRW 3-75	R 3075	RW118-3	G3-75
	SV3100	VR 3-100	CRW 3-100	R 3100	RW118-4	G3-100
	SV3125	VR 3-125	CRW 3-125	R 3125	RW118-5	G3-125
	SV3150	VR 3-150	CRW 3-150	R 3150	RW118-6	G3-150
	SV3175	VR 3-175	CRW 3-175	R 3175	RW118-7	G3-175
	SV3200	VR 3-200	CRW 3-200	R 3200	RW118-8	G3-200
	SV3225	VR 3-225	CRW 3-225	R 3225	RW118-9	G3-225
	SV3250	VR 3-250	CRW 3-250	R 3250	RW118-10	G3-250
	SV3275	VR 3-275	CRW 3-275	R 3275	RW118-11	G3-275
	SV3300	VR 3-300	CRW 3-300	R 3300	RW118-12	G3-300
	SV3325					
	SV3350			R 3350		
4 mm	SV4080	VR 4-80	CRW 4-80	RN 4080		G4-80
	SV4120	VR 4-120	CRW 4-120	RN 4120		G4-120
	SV4160	VR 4-160	CRW 4-160	RN 4160		G4-160
	SV4200	VR 4-200	CRW 4-200	RN 4200		G4-200
	SV4240	VR 4-240	CRW 4-240	RN 4240		G4-240
	SV4280	VR 4-280	CRW 4-280	RN 4280		G4-280
	SV4320	VR 4-320	CRW 4-320	RN 4320		G4-320
	SV4360	VR 4-360	CRW 4-360	RN 4360		G4-360
	SV4400	VR 4-400	CRW 4-400	RN 4400		G4-400
6 mm	SV4440	VR 4-440	CRW 4-440	RN 4440		G4-440
	SV4480	VR 4-480	CRW 4-480	RN 4480		G4-480
	SV6100	VR 6-100	CRW 6-100	R 6100		GA6-100
	SV6150	VR 6-150	CRW 6-150	R 6150		GA6-150
	SV6200	VR 6-200	CRW 6-200	R 6200		GA6-200
	SV6250	VR 6-250	CRW 6-250	R 6250		GA6-250
	SV6300	VR 6-300	CRW 6-300	R 6300		GA6-300
	SV6350	VR 6-350	CRW 6-350	R 6350		GA6-350
	SV6400	VR 6-400	CRW 6-400	R 6400		GA6-400
	SV6450	VR 6-450	CRW 6-450	R 6450		GA6-450
SV6500	VR 6-500	CRW 6-500	R 6500		GA6-500	
SV6600	VR 6-600	CRW 6-600	R 6600		GA6-600	

Stainless Steel type Slide Ways are also available. For details, please call **NB**.

# SLIDE WAY - "SV" Type

## STANDARD Type

ROLLER DIA.	NB	THK	IKO	SCHNEEBERGER	MICRO SLIDES	MEGATOOL
9 mm	SV9200	VR 9-200	CRW 9-200	R 9200	RW354-8	G9A-200
	SV9300	VR 9-300	CRW 9-300	R 9300	RW354-12	G9A-300
	SV9400	VR 9-400	CRW 9-400	R 9400	RW354-16	G9A-400
	SV9500	VR 9-500	CRW 9-500	R 9500	RW354-20	G9A-500
	SV9600	VR 9-600	CRW 9-600	R 9600	RW354-24	G9A-600
	SV9700	VR 9-700	CRW 9-700	R 9700	RW354-28	G9A-700
	SV9800	VR 9-800	CRW 9-800	R 9800	RW354-32	G9A-800
	SV9900	VR 9-900	CRW 9-900	R 9900	RW354-36	G9A-900
	SV91000	VR 9-1000	CRW 9-1000	R 91000	RW354-40	G9A-1000
12 mm	SV12300	VR 12-300	CRW 12-300	R 12300		G12-300
	SV12400	VR 12-400	CRW 12-400	R 12400		G12-400
	SV12500	VR 12-500	CRW 12-500	R 12500		G12-500
	SV12600	VR 12-600	CRW 12-600	R 12600		G12-600
	SV12700	VR 12-700	CRW 12-700	R 12700		G12-700
	SV12800	VR 12-800	CRW 12-800	R 12800		G12-800
	SV12900	VR 12-900	CRW 12-900	R 12900		G12-900
	SV121000	VR 12-1000	CRW 12-1000	R 121000		G12-1000
	SV121100	VR 12-1100	CRW 12-1100	R 121100		
	SV121200	VR 12-1200	CRW 12-1200	R 121200		G12-1200
15 mm	SV15300	VR 15-300	CRW 15-300	R 15300		G15-300
	SV15400	VR 15-400	CRW 15-400	R 15400		G15-400
	SV15500	VR 15-500	CRW 15-500	R 15500		G15-500
	SV15600	VR 15-600	CRW 15-600	R 15600		G15-600
	SV15700	VR 15-700	CRW 15-700	R 15700		G15-700
	SV15800	VR 15-800	CRW 15-800	R 15800		G15-800
	SV15900	VR 15-900	CRW 15-900	R 15900		G15-900
	SV151000	VR 15-1000	CRW 15-1000	R 151000		G15-1000
	SV151100	VR 15-1100	CRW 15-1100	R 151100		
SV151200	VR 15-1200	CRW 15-1200	R 151200		G15-1200	
18 mm	SV18300	VR 18-300	CRW 18-300	R 18300		G18-300
	SV18400	VR 18-400	CRW 18-400	R 18400		G18-400
	SV18500	VR 18-500	CRW 18-500	R 18500		G18-500
	SV18600	VR 18-600	CRW 18-600	R 18600		G18-600
	SV18700	VR 18-700	CRW 18-700	R 18700		G18-700
	SV18800	VR 18-800	CRW 18-800	R 18800		G18-800
	SV18900	VR 18-900	CRW 18-900	R 18900		G18-900
	SV181000	VR 18-1000	CRW 18-1000	R 181000		G18-1000
	SV181100	VR 18-1100	CRW 18-1100	R 181100		
SV181200	VR 18-1200	CRW 18-1200	R 181200		G18-1200	

Stainless Steel type Slide Ways are also available. For details, please call **NB**.



# SLIDE WAY - "SVW" Type

## DOUBLE-WIDE Type

ROLLER DIA.	<b>NB</b>	IKO
1.5 mm	SVW 1020	CRWM 1-20
	SVW 1030	CRWM 1-30
	SVW 1040	CRWM 1-40
	SVW 1050	CRWM 1-50
	SVW 1060	CRWM 1-60
	SVW 1070	CRWM 1-70
	SVW 1080	CRWM 1-80
2 mm	SVW 2030	CRWM 2-30
	SVW 2045	CRWM 2-45
	SVW 2060	CRWM 2-60
	SVW 2075	CRWM 2-75
	SVW 2090	CRWM 2-90
	SVW 2105	CRWM 2-105
	SVW 2120	CRWM 2-120
3 mm	SVW 3050	CRWM 3-50
	SVW 3075	CRWM 3-75
	SVW 3100	CRWM 3-100
	SVW 3125	CRWM 3-125
	SVW 3150	CRWM 3-150
	SVW 3175	CRWM 3-175
	SVW 3200	CRWM 3-200
4 mm	SVW 4080	CRWM 4-80
	SVW 4120	CRWM 4-120
	SVW 4160	CRWM 4-160
	SVW 4200	CRWM 4-200
	SVW 4240	CRWM 4-240
	SVW 4280	CRWM 4-280

Stainless Steel type Slide Ways are also available. For details, please call **NB**.

# SLIDE TABLES

## "SVT" Type

ROLLER DIA.	NB	THK	SCHNEEBERGER
1.5 mm	SVT1025	VRU 1025	NK1-25
	SVT1035	VRU 1035	NK1-35
	SVT1045	VRU 1045	NK1-45
	SVT1055	VRU 1055	NK1-55
	SVT1065	VRU 1065	NK1-65
	SVT1075	VRU 1075	NK1-75
	SVT1085	VRU 1085	NK1-85
2 mm	SVT2035	VRU 2035	NK2-35
	SVT2050	VRU 2050	NK2-50
	SVT2065	VRU 2065	NK2-65
	SVT2080	VRU 2080	NK2-80
	SVT2095	VRU 2095	NK2-95
	SVT2110	VRU 2110	NK2-110
	SVT2125	VRU 2125	NK2-125
	SVT2140		
	SVT2155		
	SVT2170		
SVT2185			
3 mm	SVT3055	VRU 3055	NK3-55
	SVT3080	VRU 3080	NK3-80
	SVT3105	VRU 3105	NK3-105
	SVT3130	VRU 3130	NK3-130
	SVT3155	VRU 3155	NK3-155
	SVT3180	VRU 3180	NK3-180
	SVT3205	VRU 3205	NK3-205
	SVT3230		
	SVT3255		
	SVT3280		
SVT3305			
4 mm	SVT4085	VRU 4085	
	SVT4125	VRU 4125	
	SVT4165	VRU 4165	
	SVT4205	VRU 4205	
	SVT4245	VRU 4245	
	SVT4285	VRU 4285	
	SVT4325		
	SVT4365		
SVT4405			
6 mm	SVT6110	VRU 6110	NK6-110
	SVT6160	VRU 6160	NK6-160
	SVT6210	VRU 6210	NK6-210
	SVT6260	VRU 6260	NK6-260
	SVT6310	VRU 6310	NK6-310
	SVT6360	VRU 6360	NK6-360
	SVT6410	VRU 6410	NK6-410
	SVT6460		
SVT6510			
9 mm	SVT9210	VRU 9210	NK9-210
	SVT9310	VRU 9310	NK9-310
	SVT9410	VRU 9410	NK9-410
	SVT9510	VRU 9510	NK9-510
	SVT9610	VRU 9610	NK9-610
	SVT9710	VRU 9710	NK9-710
	SVT9810	VRU 9810	NK9-810
	SVT9910	VRU 9910	NK9-910
SVT91010	VRU 91010	NK9-1010	

## "SYT" Type

NB	THK	SCHNEEBERGER
SYT1025	VRT 1025	ND1-25.12
SYT1035	VRT 1035	ND1-35.18
SYT1045	VRT 1045	ND1-45.25
SYT1055	VRT 1055	ND1-55.32
SYT1065	VRT 1065	
SYT1075	VRT 1075	
SYT1085	VRT 1085	
SYT2035	VRT 2035	
SYT2050	VRT 2050	
SYT2065	VRT 2065	ND2-65.40
SYT2080	VRT 2080	ND2-80.50
SYT2095	VRT 2095	ND2-95.60
SYT2110	VRT 2110	
SYT2125	VRT 2125	
SYT3055	VRT 3055	
SYT3080	VRT 3080	
SYT3105	VRT 3105	ND3-105.60
SYT3130	VRT 3130	ND3-130.75
SYT3155	VRT 3155	ND3-155.90
SYT3180	VRT 3180	
SYT3205	VRT 3205	

Stainless Steel types are also available. For details, please call **NB**.

# STROKE BUSH

## "SR" Type

LONG TRAVEL TYPE ( Normal Loads )

NOM. DIA.	NB	THK	IKO
6 mm	SR 6	ST 6	ST 61219
8 mm	SR 8	ST 8	ST 81524
	SR 8UU	ST 8UU	ST 81524 UU
10 mm	SR 10	ST 10	ST 101930
	SR 10UU	ST 10UU	ST 101930 UU
12 mm	SR 12	ST 12	ST 122332
	SR 12UU	ST 12UU	ST 122332 UU
16 mm	SR 16	ST 16	ST 162837
	SR 16UU	ST 16UU	ST 162837 UU
20 mm	SR 20	ST 20	ST 203245
	SR 20UU	ST 20UU	ST 203245 UU
25 mm	SR 25	ST 25	ST 253745
	SR 25UU	ST 25UU	ST 253745 UU
30 mm	SR 30	ST 30	ST 304565
	SR 30UU	ST 30UU	ST 304565 UU
35 mm	SR 35	ST 35	ST 355270
	SR 35UU	ST 35UU	ST 355270 UU
40 mm	SR 40	ST 40	ST 406080
	SR 40UU	ST 40UU	ST 406080 UU
50 mm	SR 50	ST 50	ST 5072100
	SR 50UU	ST 50UU	ST 5072100 UU
60 mm	SR 60	ST 60	ST 6085100
	SR 60UU	ST 60UU	ST 6085100 UU
80 mm	SR 80	ST 80	ST 80110100
	SR 80UU	ST 80UU	ST 80110100 UU
100 mm	SR 100	ST 100	ST 100130100
	SR 100UU	ST 100UU	ST 100130100 UU

## "SR-B" Type

SHORT TRAVEL TYPE ( Heavy Loads )

NB	THK	IKO
SR 8B	ST 8B	ST 81524B
SR 10B	ST 10B	ST 101930B
SR 12B	ST 12B	ST 122332B
SR 16B	ST 16B	ST 162837B
SR 20B	ST 20B	ST 203245B
SR 25B	ST 25B	ST 253745B
	ST 25BUU	
SR 30B	ST 30B	ST 304565B
SR 30BUU	ST 30BUU	ST 304565 UUB
SR 35B	ST 35B	ST 355270B
SR 35BUU	ST 35BUU	ST 355270 UUB
SR 40B	ST 40B	ST 406080B
SR 40BUU	ST 40BUU	ST 406080 UUB
SR 50B	ST 50B	ST 5072100B
SR 50BUU	ST 50BUU	ST 5072100 UUB
SR 60B	ST 60B	ST 6085100B
SR 60BUU	ST 60BUU	ST 6085100 UUB
SR 80	ST 80B	ST 80110100B
SR 80BUU	ST 80BUU	ST 80110100 UUB
SR 100B	ST 100B	ST 100130100B
SR 100BUU	ST 100BUU	ST 100130100 UUB

# NB Corporation of America

<http://www.nbcorporation.com>

## **Western Regional Office**

2157 O'Toole Ave. Suite D  
San Jose, CA 95131

TEL: 408-435-1800

FAX: 408-435-1850

**1-888-562-4175**

## **NB Corporation of America**

930 Muirfield Drive  
Hanover Park, IL 60130

TEL: 630-295-8880

FAX: 630-295-8881

**1-800-521-2045**

## **Eastern Regional Office**

41 Orchard Street  
Ramsey, NJ 07446

TEL: 201-236-3886

FAX: 201-236-5112

**1-800-981-8190**